

## INDUSTRIAL COMPONENT DATA

## GLC0800C1 LOVATO 3P 800A AC31A C1 SWITCH

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GLC0800C1



|                 |                     |
|-----------------|---------------------|
| Manufacturer    | LOVATO ELECTRIC     |
| MPN / Reference | GLC0800C1           |
| Catalog number  | GLC0800C1           |
| Category        | Switch disconnecter |
| Minimum order   | 1 Pcs               |
| Document ID     | EO-0A9E106BB0       |
| Generated       | 2026-08-02          |

## Product Overview

3P 800A AC31A C1 SWITCH

Three-pole changeover switch, IEC/EN, 800A

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification &amp; Catalog Path

Catalog path LOVATO ELECTRIC &gt; Switch disconnectors - LOVATO ELECTRIC

## Additional Product Information

GLC0800C1

Three-pole changeover switch, IEC/EN, 800A

Technical specifications

Type of product:Changeover switchesNumber of poles:3Type of operating voltage:ACIEC Conventional free air thermal current Ith [A]:800Type of installation:Screw on plateOrder code GLC0800C1

Weight [g] 19100

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 483X283X382

Volume [cm<sup>3</sup>] 52810

Bar code [EAN13] 8013975318942

HS Code 85365080

1730.39 £

ETIM for GLC0800C1 Low-voltage industrial controls and switchgear (EC000216)

Feature Name

## Feature Value

Rated operating voltage (EF001435)

0 V

Rated permanent current at AC-23, 400 V (EF011777)

800 A

Rated permanent current at AC-21, 400 V (EF009165)

800 A

Max. rated operation voltage Ue AC (EF007355)

690 V

Rated short-time withstand current Icw (EF007050)

20 kA

Rated operation power at AC-23, 400 V (EF007027)

400 kW

Number of switches (EF005586)

2

Number of auxiliary contacts as change-over contact (EF003531)

0

Conditioned rated short-circuit current Iq (EF001444)

50 kA

Number of poles (EF001391)

3

Rated permanent current Iu (EF001389)

800 A

Number of auxiliary contacts as normally closed contact (EF001377)

0

Number of auxiliary contacts as normally open contact (EF001376)

0

Version as reversing switch (EF009408)

No

Voltage release optional (EF007491)

No

Motor drive optional (EF007386)

No

Suitable for intermediate mounting (EF007264)

Yes

Suitable for distribution board installation (EF007262)

No

Suitable for front mounting centre (...)

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GLC0800C1 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.