

**INDUSTRIAL COMPONENT DATA**

# GLD0160T4C3 LOVATO 4P. DISCONNECT SWITCH. 160A 1500V CC21B

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GLD0160T4C3



|                 |                     |
|-----------------|---------------------|
| Manufacturer    | LOVATO ELECTRIC     |
| MPN / Reference | GLD0160T4C3         |
| Catalog number  | GLD0160T4C3         |
| Category        | Switch disconnecter |
| Minimum order   | 1 Pcs               |
| Document ID     | EO-3C3F6B5A03       |
| Generated       | 2026-08-01          |

## Product Overview

4P. DISCONNECT SWITCH. 160A 1500V CC21B

Three-pole switch disconnecter for photovoltaic applications, direct operating and door-coupling version, 160A 1500V DCPV-1

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path **LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC**

## Additional Product Information

GLD0160T4C3

Three-pole switch disconnecter for photovoltaic applications, direct operating and door-coupling version, 160A 1500V DCPV-1

Technical specifications

Type of product:Switch disconnectorsNumber of poles:4Type of operating voltage:DCIEC Conventional free air thermal current Ith [A]:160Type of installation:Screw on plate or 35mm DIN railFor photovoltaic application:YesOrder code

GLD0160T4C3

Weight [g] 2175

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 160X168X105

Volume [cm³] 2822.4

Bar code [EAN13] 8013975320648

HS Code 85365080

ETIM for GLD0160T4C3 Low-voltage industrial controls and switchgear (EC000216)

Feature Name

Feature Value

Rated operating voltage (EF001435)

0 V

Number of switches (EF005586)

1

Number of auxiliary contacts as change-over contact (EF003531)

0

Number of poles (EF001391)

4

Rated permanent current I<sub>u</sub> (EF001389)

160 A

Number of auxiliary contacts as normally closed contact (EF001377)

0

Number of auxiliary contacts as normally open contact (EF001376)

0

Version as reversing switch (EF009408)

No

Voltage release optional (EF007491)

No

Motor drive optional (EF007386)

No

Suitable for intermediate mounting (EF007264)

Yes

Suitable for distribution board installation (EF007262)

No

Suitable for front mounting centre (EF007248)

No

Suitable for front mounting 4-hole (EF007247)

No

Version as maintenance-/service switch (EF006986)

No

Version as safety switch (EF006985)

No

Version as main switch (EF006981)

Yes

Version as emergenc...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GLD0160T4C3 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.