

INDUSTRIAL COMPONENT DATA

GLZM0160ET8 LOVATO 4P C/O SW 160A GL-MET ENCL-BLACK HANDLE

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GLZM0160ET8



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GLZM0160ET8
Catalog number	10000
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-01A13FFE3C
Generated	2026-08-03

Product Overview

4P C/O SW 160A GL-MET ENCL-BLACK HANDLE

Four-pole line changeover switch I-0-II in IEC/EN IP65 metal enclosure, 160A. Enclosure dimensions:
300x400x250mm/11.8x15.8x9.8"

FOUR-POLE LINE CHANGEOVER SWITCHES I-0-II IN IEC/EN IP65 METAL ENCLOSURE, 160A

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC

Additional Product Information

GLZM0160ET8

Four-pole line changeover switch I-0-II in IEC/EN IP65 metal enclosure, 160A. Enclosure dimensions:
300x400x250mm/11.8x15.8x9.8"

Technical specifications

Type of product: Changeover switches
Number of poles: 4
Type of enclosure: Metallic enclosure - Black Handle
Type of operating voltage: AC
IEC Conventional free air thermal current I_{th} [A]: 160
Type of installation: Enclosed
Order code
GLZM0160ET8

Weight [g] 12180

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 310X400X296

Volume [cm³] 36704

Bar code [EAN13] 8013975235874

HS Code 85365080

ETIM for GLZM0160ET8 Low-voltage industrial controls and switchgear (EC000216)

Feature Name

Feature Value

Device construction (EF008240)

Complete device in housing

Colour control element (EF007167)

Black

Type of electrical connection of main circuit (EF006819)

Bolt connection

Degree of protection (IP), front side (EF003118)

IP65

Rated operating voltage (EF001435)

400 V

Version as reversing switch (EF009408)

No

Voltage release optional (EF007491)

No

Motor drive optional (EF007386)

No

Suitable for distribution board installation (EF007262)

No

Suitable for front mounting 4-hole (EF007247)

No

Version as maintenance-/service switch (EF006986)

Yes

Version as safety switch (EF006985)

No

Version as main switch (EF006981)

Yes

Version as emergency stop installation (EF006959)

No

Motor drive integrated (EF006697)

No

Interlockable (EF006281)

Yes

Rated permanent current at AC-23, 400 V (EF011777)

160 A

Rated permanent cur...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GLZM0160ET8 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.