

**INDUSTRIAL COMPONENT DATA**

# GMFC030C12 LOVATO 3P SWITCH DISC. W/FUSE HOLDER CC 30A C12

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GMFC030C12



|                 |                     |
|-----------------|---------------------|
| Manufacturer    | LOVATO ELECTRIC     |
| MPN / Reference | GMFC030C12          |
| Catalog number  | 10000               |
| Category        | Switch disconnecter |
| Minimum order   | 1 Pcs               |
| Document ID     | EO-06CAA5D2E4       |
| Generated       | 2026-08-04          |

## Product Overview

3P SWITCH DISC. W/FUSE HOLDER CC 30A C12

Three-pole disconnect switch with fuse holder (UL98). 30A. CC UL fuse type. Central command pole

**STRUCTURED PRODUCT DATA**

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path **LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC**

## Additional Product Information

GMFC030C12

Three-pole disconnect switch with fuse holder (UL98). 30A. CC UL fuse type. Central command pole

Technical specifications

Type of product:Switch disconnectors with fuse holderNumber of poles:3Type of operating voltage:ACIEC Conventional free air thermal current Ith [A]:32UL Standard:UL98Type of fuse:CCType of installation:Screw on plate or 35mm DIN railOrder code GMFC030C12

Weight [g] 731

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 240X130X125

Volume [cm³] 3900

Bar code [EAN13] 8013975229729

HS Code 85365080

379.31 £

ETIM for GMFC030C12 Low-voltage industrial controls and switchgear (EC000216)

Feature Name

Feature Value

Device construction (EF008240)

Built-in device fixed built-in technique

Type of control element (EF006976)

Door coupling rotary drive

Type of electrical connection of main circuit (EF006819)

Frame clamp

Degree of protection (IP), front side (EF003118)

IP20

Rated operating voltage (EF001435)

400 V

Version as reversing switch (EF009408)

No

Voltage release optional (EF007491)

No

Motor drive optional (EF007386)

No

Suitable for distribution board installation (EF007262)

No

Suitable for front mounting 4-hole (EF007247)

No

Version as maintenance-/service switch (EF006986)

Yes

Version as safety switch (EF006985)

No

Version as main switch (EF006981)

Yes

Version as emergency stop installation (EF006959)

No

Motor drive integrated (EF006697)

No

Interlockable (EF006281)

No

Rated permanent current at AC-23, 400 V (EF011777)

32 A...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GMFC030C12 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.