

INDUSTRIAL COMPONENT DATA

GMFJ400C03 LOVATO THREE-POLE DISCONNECT SWITCH WITH FUSE HOLDER (UL98). 400A. FUSE TYPE J UL. LEFT CONTROL P..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GMFJ400C03



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GMFJ400C03
Catalog number	GMFJ400C03
Category	Switch disconnecter
Minimum order	1 Pcs
Document ID	EO-8BAEB4A764
Generated	2026-08-03

Product Overview

THREE-POLE DISCONNECT SWITCH WITH FUSE HOLDER (UL98). 400A. FUSE TYPE J UL. LEFT CONTROL POST
THREE-POLE DISCONNECT SWITCH WITH FUSE HOLDER (UL98). 400A. J UL FUSE TYPE. LEFT COMMAND POLE
Three-pole disconnect switch with fuse holder (UL98). 400A. J UL fuse type. Left command pole

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Switch disconnectors - LOVATO ELECTRIC
--------------	--

Additional Product Information

GMFJ400C03

Three-pole disconnect switch with fuse holder (UL98). 400A. J UL fuse type. Left command pole

Technical specifications

Type of product: Switch disconnectors with fuse holder
Number of poles: 3
Type of operating voltage: AC IEC Conventional free air
thermal current I_{th} [A]: 400
UL Standard: UL98
Type of fuse: J
Type of installation: Screw on plate
Order code GMFJ400C03

Weight [g] 6600

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 280X240X205

Volume [cm³] 13776

Bar code [EAN13] 8013975229774

HS Code 85365080

1983.23 £

ETIM for GMFJ400C03 Low-voltage industrial controls and switchgear (EC000216)

Feature Name

Feature Value

Device construction (EF008240)

Built-in device fixed built-in technique

Type of control element (EF006976)

Door coupling rotary drive

Type of electrical connection of main circuit (EF006819)

Bolt connection

Rated operating voltage (EF001435)

400 V

Version as reversing switch (EF009408)

No

Voltage release optional (EF007491)

No

Motor drive optional (EF007386)

No

Suitable for distribution board installation (EF007262)

No

Suitable for front mounting 4-hole (EF007247)

No

Version as maintenance-/service switch (EF006986)

Yes

Version as safety switch (EF006985)

No

Version as main switch (EF006981)

Yes

Version as emergency stop installation (EF006959)

No

Motor drive integrated (EF006697)

No

Interlockable (EF006281)

No

Rated permanent current at AC-23, 400 V (EF011777)

400 A

Rated permanent current at AC-21, 400 V (EF009165)

400 A

Max. rat...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GMFJ400C03 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.