

INDUSTRIAL COMPONENT DATA

7GN2569O GN2569O LOVATO Selector switch "1-2" 4-pole GN69 25 TO Model Or 48x48

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN2569O



Manufacturer	LOVATO ELECTRIC
MPN / Reference	7GN2569O
Catalog number	GN2569O
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-C0741954C0
Generated	2026-08-02

Product Overview

Selector switch "1-2" 4-pole GN69 25 TO Model Or 48x48

Switch "1-2" 4 poles GN69 25 A Model O 48x48

Rotary cam switch 7GN series, changeover switch without 0, 4 poles 25A, for rear mounting with black handle, front plate 48X48mm

ROTARY CAM SWITCH 7GN SERIES, CHANGEOVER SWITCH WITHOUT 0 4 POLES 25A, FOR REAR MOUNTING WITH BLACK HANDLE, FRONT PLATE 48X48MM

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC**

Additional Product Information

7GN2569O

Rotary cam switch 7GN series, changeover switch without 0, 4 poles 25A, for rear mounting with black handle, front plate 48X48mm

Technical specifications

Type of product:Changeover switchesSwitching diagram:69 - Changeover switch without 0 4 polesIEC Conventional free air thermal current Ith [A]:25Mounting form:O - Rear mounting with black handleSeries:7GN - round-shaped contact blockOrder code 7GN2569O

Weight [g] 173.8

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm]

Volume [cm³] 0

Bar code [EAN13] 3850144160859

HS Code 85365080

ETIM for 7GN2569O Low-voltage industrial controls and switchgear (EC001105)

Feature Name

Feature Value

Type of control element (EF006976)

Short thumb-grip

Type of electrical connection of main circuit (EF006819)

Screw connection

Degree of protection (IP), front side (EF003118)

IP40

Housing material (EF001596)

Plastic

Model (EF000010)

On/Off switch

Complete device in housing (EF007317)

Yes

Suitable for intermediate mounting (EF007264)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for front mounting (EF007246)

No

Suitable for floor mounting (EF007243)

No

With retraction in 0-position (EF002428)

No

With zero (off) position (EF001416)

No

Number of poles (EF001391)

8

Rated permanent current I_u (EF001389)

25 A

Rated operation power at AC-3, 400 V (EF001364)

7.5 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN2569O with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.