

INDUSTRIAL COMPONENT DATA

GX20124O48 LOVATO MULTISTP 0-3 2P 20A MODUL. 35MM DIN RAIL

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX20124O48



image not available

Manufacturer	LOVATO ELECTRIC
MPN / Reference	GX20124O48
Catalog number	20124
Category	Selector switch, complete
Minimum order	1 Pcs
Document ID	EO-469B51F82A
Generated	2026-08-02

Product Overview

MULTISTP 0-3 2P 20A MODUL. 35MM DIN RAIL

Rotary cam switch GX series, multi-step 0-1-2-3, 2 poles 20A, modular service cover for 35mm DIN rail mounting with black handle, front plate 45X54mm

ROTARY CAM SWITCH GX SERIES, MULTI-STEP 0-1-2-3 2 POLES 20A, MODULAR SERVICE COVER FOR 35MM DIN RAIL MOUNTING WITH BLACK HANDLE, FRONT PLATE 45X54MM

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path **LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC**

Additional Product Information

GX20124O48

Rotary cam switch GX series, multi-step 0-1-2-3, 2 poles 20A, modular service cover for 35mm DIN rail mounting with black handle, front plate 45X54mm

Technical specifications

Type of product:Multi-stepSwitching diagram:124 - Multi-step 0-1-2-3 2 polesIEC Conventional free air thermal current Ith [A]:20Mounting form:O48 - Modular service cover for 35mm din rail mounting with black handleSeries:GX - square-shaped contact blockOrder code GX20124O48

Weight [g] 149.8

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 050X068X099

Volume [cm³] 336.6

Bar code [EAN13] 3850144079953

HS Code 85365080

Discover more about LOVATO Electric rotary cam switches

ETIM for GX20124O48 Low-voltage industrial controls and switchgear (EC001029)

Feature Name

Feature Value

Type of control element (EF006976)

Short thumb-grip

Material front ring (EF005972)

Plastic

Degree of protection (IP) (EF005474)

IP65

Type of electric connection (EF003961)

Screw connection

With front ring (EF006014)

No

With light source (EF005905)

No

Spring-return (EF001407)

No

Suitable for lighting (EF001142)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256)

3

Number of contacts as normally closed contact (EF008255)

0

Height opening (EF004778)

45 mm

Width opening (EF004565)

54 mm

Number of switch positions (EF000231)

4

Hole diameter (EF000079)

45 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX20124O48 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.