

INDUSTRIAL COMPONENT DATA

GX2026U LOVATO ROTARY CAM SWITCHE, GX SERIES, U VERSION FRONT MOUNT. MOTOR SWITCH, 3-POLE MOTOR REVERSING SW..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX2026U



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GX2026U
Catalog number	10000
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-C3988467F8
Generated	2026-07-29

Product Overview

ROTARY CAM SWITCHE, GX SERIES, U VERSION FRONT MOUNT. MOTOR SWITCH, 3-POLE MOTOR REVERSING SWITCHES WITH SPRING RETURN TO 0. 3 WAFERS - SCHEME 26, 20A

3PH REV. SPR. RET. 20A FRONT MNT 48X48

Rotary cam switch GX series, 3-phase motor reversing switch with spring return 20A, for front mounting with black handle, front plate 48X48mm

ROTARY CAM SWITCH GX SERIES, 3-PHASE MOTOR REVERSING SWITCH WITH SPRING RETURN 20A, FOR FRONT MOUNTING WITH BLACK HANDLE, FRONT PLATE 48X48MM

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

GX2026U

Rotary cam switch GX series, 3-phase motor reversing switch with spring return 20A, for front mounting with black handle, front plate 48X48mm

Technical specifications

Type of product:Motor starting switchesSwitching diagram:26 - 3-phase motor reversing switch with spring returnIEC

Conventional free air thermal current Ith [A]:20Mounting form:U - Front mounting with black handleSeries:GX - square-shaped contact blockOrder code GX2026U

Weight [g] 145

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 050X068X099

Volume [cm³] 336.6

Bar code [EAN13] 8013975101117

HS Code 85365080

39.89 £

ETIM for GX2026U Low-voltage industrial controls and switchgear (EC001105)

Feature Name

Feature Value

Type of control element (EF006976)

Short thumb-grip

Type of electrical connection of main circuit (EF006819)

Screw connection

Degree of protection (IP), front side (EF003118)

IP65

Housing material (EF001596)

Plastic

Model (EF000010)

Reverser

Complete device in housing (EF007317)

Yes

Suitable for intermediate mounting (EF007264)

No

Suitable for distribution board installation (EF007262)

Yes

Suitable for front mounting (EF007246)

Yes

Suitable for floor mounting (EF007243)

No

With retraction in 0-position (EF002428)

Yes

With zero (off) position (EF001416)

Yes

Number of poles (EF001391)

6

Rated permanent current I_u (EF001389)

20 A

Rated operation power at AC-3, 400 V (EF001364)

5.5 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX2026U with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.