

INDUSTRIAL COMPONENT DATA

GX2066U47 LOVATO VOLTM VLN/VLL 20A SNAP FR. MNT
D22 48X48

Brand: LOVATO ELECTRIC | Manufacturer Part Number: GX2066U47



Manufacturer	LOVATO ELECTRIC
MPN / Reference	GX2066U47
Catalog number	10000
Category	Selector switch, complete
Minimum order	1 Pcs
Document ID	EO-969A5EEC31
Generated	2026-08-03

Product Overview

VOLTM VLN/VLL 20A SNAP FR. MNT D22 48X48

Rotary cam switch GX series, voltmeter switch for phase-neutral and phase-phase voltages 20A, for snap on front mounting with black handle for hole Ø22mm fixing, front plate 48X48mm

ROTARY CAM SWITCH GX SERIES, VOLTMETER SWITCH FOR PHASE-NEUTRAL AND PHASE-PHASE VOLTAGES 20A, FOR SNAP ON FRONT MOUNTING WITH BLACK HANDLE FOR HOLE DIAM. 22MM FINXING, FRONT PLATE 48X48MM

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

GX2066U47

Rotary cam switch GX series, voltmeter switch for phase-neutral and phase-phase voltages 20A, for snap on front mounting with black handle for hole Ø22mm fixing, front plate 48X48mm

Technical specifications

Type of product: Voltmeters and ammeters
Switching diagram: 66 - Voltmeter switch for phase-neutral and phase-phase voltages
IEC Conventional free air thermal current I_{th} [A]: 20
Mounting form: U47 - Snap on front mounting with black handle for hole diam. 22mm finxing
Series: GX - square-shaped contact block
Order code GX2066U47

Weight [g] 170

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 050X068X099
Volume [cm³] 336.6
Bar code [EAN13] 8013975208038
HS Code 85365080
ETIM for GX2066U47 Low-voltage industrial controls and switchgear (EC001029)
Feature Name
Feature Value
Type of control element (EF006976)
Short thumb-grip
Material front ring (EF005972)
Plastic
Degree of protection (IP) (EF005474)
IP65
Type of electric connection (EF003961)
Screw connection
With front ring (EF006014)
No
With light source (EF005905)
No
Spring-return (EF001407)
No
Suitable for lighting (EF001142)
No
Number of contacts as change-over contact (EF008257)
0
Number of contacts as normally open contact (EF008256)
3
Number of contacts as normally closed contact (EF008255)
0
Height opening (EF004778)
22 mm
Width opening (EF004565)
22 mm
Number of switch positions (EF000231)
7
Hole diameter (EF000079)
22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / GX2066U47 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.