

## INDUSTRIAL COMPONENT DATA

# KMP2L11 LOVATO LIMIT SWITCH, K SERIES, HINGE OPERATING, 1 BOTTOM CABLE ENTRY. DIMENSIONS TO EN 50047, METAL ..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: KMP2L11



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | LOVATO ELECTRIC |
| MPN / Reference | KMP2L11         |
| Catalog number  | 10000           |
| Category        | End switch      |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-02ABE73AD7   |
| Generated       | 2026-08-05      |

## Product Overview

LIMIT SWITCH, K SERIES, HINGE OPERATING, 1 BOTTOM CABLE ENTRY. DIMENSIONS TO EN 50047, METAL BODY, CONTACTS 1NO+1NC SLOW BREAK. LONG SOLID SHAFT

HINGE LONG SHAFT METAL SAFETY SWITCH 1NO

Limit switch, K series, hinge operating, 1 bottom cable entry. Dimensions to EN 50047, metal body, contacts 1NO+1NC slow action. Long solid shaft

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC

## Additional Product Information

KMP2L11

Limit switch, K series, hinge operating, 1 bottom cable entry. Dimensions to EN 50047, metal body, contacts 1NO+1NC slow action. Long solid shaft

Technical specifications

Type of product: Safety limit switches Product characteristics: Hinge operating Housing material: Aluminium-zinc alloy Rod characteristics: Long solid Cable entry: M20 on the bottom Type of contacts: 1NO+1NC Slow action Order code KMP2L11

Weight [g] 254

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 185X041X085  
Volume [cm³] 644.725  
Bar code [EAN13] 8013975143353  
HS Code 85365080  
86.82 £  
ETIM for KMP2L11 Sensors (EC000030)  
Feature Name  
Feature Value  
Alignment of the control element (EF008793)  
Other  
Type of interface (EF006977)  
None  
Type of control element (EF006976)  
Other  
Degree of protection (IP) (EF005474)  
IP65  
Construction type housing (EF004008)  
Cuboid  
Explosion safety category for dust (EF003998)  
None  
Explosion safety category for gas (EF003997)  
None  
Type of electric connection (EF003961)  
Cable entry metrical  
Type of interface for safety communication (EF003956)  
None  
Coating housing (EF001601)  
Powder coated  
Housing material (EF001596)  
Metal  
Switching function (EF000189)  
Slow-action switch  
Ambient temperature during operating (EF007515)  
-25 °C  
Switching function latching (EF007447)  
No  
Output electronic (EF006987)  
No  
Forced opening (EF006694)  
Yes  
With status indication (EF001602)  
No  
Suitable for safety functions (EF001597)  
Yes  
Number of contacts as change-over contact (EF008257)...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / KMP2L11 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.