

INDUSTRIAL COMPONENT DATA

KMP3L12 LOVATO LIMIT SWITCH, K SERIES, HINGE OPERATING, 1 BOTTOM CABLE ENTRY. DIMENSIONS TO EN 50047, METAL ..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: KMP3L12



Manufacturer	LOVATO ELECTRIC
MPN / Reference	KMP3L12
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-DEDB7C530A
Generated	2026-08-06

Product Overview

LIMIT SWITCH, K SERIES, HINGE OPERATING, 1 BOTTOM CABLE ENTRY. DIMENSIONS TO EN 50047, METAL BODY, CONTACTS 1NO+2NC SLOW BREAK. LONG SOLID SHAFT WITH REDUCTION
HINGE SHAFT W/REDUCTION METAL- LIC SAFET

Limit switch, K series, hinge operating, 1 bottom cable entry. Dimensions to EN 50047, metal body, contacts 1NO+2NC slow action. Long solid shaft with reduction

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC
--------------	--

Additional Product Information

KMP3L12

Limit switch, K series, hinge operating, 1 bottom cable entry. Dimensions to EN 50047, metal body, contacts 1NO+2NC slow action. Long solid shaft with reduction

Technical specifications

Type of product:Safety limit switchesProduct characteristics:Hinge operatingHousing material:Aluminium-zinc alloyRod characteristics:Long solidCable entry:M20 on the bottomType of contacts:1NO+2NC Slow actionOrder code KMP3L12

Weight [g] 230

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 123X058X098

Volume [cm³] 699.132

Bar code [EAN13] 8013975143421

HS Code 85365080

101.25 £

ETIM for KMP3L12 Sensors (EC000030)

Feature Name

Feature Value

Alignment of the control element (EF008793)

Other

Type of interface (EF006977)

None

Type of control element (EF006976)

Other

Degree of protection (IP) (EF005474)

IP65

Construction type housing (EF004008)

Cuboid

Explosion safety category for dust (EF003998)

None

Explosion safety category for gas (EF003997)

None

Type of electric connection (EF003961)

Cable entry metrical

Type of interface for safety communication (EF003956)

None

Coating housing (EF001601)

Powder coated

Housing material (EF001596)

Metal

Switching function (EF000189)

Slow-action switch

Ambient temperature during operating (EF007515)

-25 °C

Switching function latching (EF007447)

No

Output electronic (EF006987)

No

Forced opening (EF006694)

Yes

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

Yes

Number of contacts as change-over co...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / KMP3L12 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.