

INDUSTRIAL COMPONENT DATA

HR201AS024 LOVATO Relay Narrow solid state 2A AC Input 24VDC

Brand: LOVATO ELECTRIC | Manufacturer Part Number: HR201AS024



Manufacturer	LOVATO ELECTRIC
MPN / Reference	HR201AS024
Catalog number	10000
Category	Switching relay
Minimum order	1 Pcs
Document ID	EO-6E04609C73
Generated	2026-07-29

Product Overview

Relay Narrow solid state 2A AC Input 24VDC
SLIM RELAY SOLID STATE 2A AC INPUT 24VDC
Slim SSR relay, 24VDC, 2A, 1 SSR contact, output 24...280VAC
SLIM SSR RELAY, 24VDC, 2A, 1 SSR CONTACT, OUTPUT 24...280VAC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Industrial relays
--------------	-------------------------------------

Additional Product Information

HR201AS024
Slim SSR relay, 24VDC, 2A, 1 SSR contact, output 24...280VAC
Technical specifications
Type of product: Slim relays Type of contacts: 1 Static Relay control voltage: 24VDC IEC Conventional free air thermal current
Ith [A]: 2 LED state indicator: No Mechanical actuator: No Order code HR201AS024
Weight [g] 3.61
Qty. per package 20
Multiple qty. of packs per order 20
Package dimensions [mm] 150X030X025
Volume [cm³] 5.625
Bar code [EAN13] 8013975233863
HS Code 85364900

26.92 £

ETIM for HR201AS024 Relays (EC001437)

Feature Name

Feature Value

Material of contact insert (EF008521)

Other

Voltage type for actuating (EF008242)

DC

Material contact (EF007544)

Other

Material of contact surface (EF004020)

Other

Type of electric connection (EF003961)

Plug-in connection

Type of switch contact (EF003358)

Single contact

Drive, switching attitude (EF003356)

Mono stable

Drive, polarization (EF003355)

Polarized

Rated control supply voltage DC (EF003980)

24 V

With LED indication (EF005950)

No

Complete with socket (EF003359)

No

With forced-guided contacts (EF003357)

No

With detachable clamps (EF003340)

No

Number of contacts as change-over contact (EF008257)

1

Number of contacts as normally open contact (EF008256)

0

Number of contacts as normally closed contact (EF008255)

0

Depth (EF000049)

5 mm

Height (EF000040)

15 mm

Width (EF000008)

28 mm

Nominal current (EF000001)

2 A

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / HR201AS024 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.