

INDUSTRIAL COMPONENT DATA

HR301CD048 LOVATO RELE' MINIATURIZZATO 1SC 16A, 48VDC

Brand: LOVATO ELECTRIC | Manufacturer Part Number: HR301CD048



Manufacturer	LOVATO ELECTRIC
MPN / Reference	HR301CD048
Catalog number	10000
Category	Switching relay
Minimum order	1 Pcs
Document ID	EO-8BD819758E
Generated	2026-08-04

Product Overview

RELE' MINIATURIZZATO 1SC 16A, 48VDC

Miniature relay, 48VDC, 16A, 1C/O contact. Fitting on socket HR5XS2... (max 10A)

MINIATURE RELAY, 48VDC, 16A, 1C/O CONTACT. FITTING ON SOCKET 20 HR5XS2... (MAX 10A)

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Industrial relays

Additional Product Information

HR301CD048

Miniature relay, 48VDC, 16A, 1C/O contact. Fitting on socket HR5XS2... (max 10A)

Technical specifications

Type of product:Miniature relaysType of contacts:1 C/ORelay control voltage:48VDCIEC Conventional free air thermal current Ith [A]:16LED state indicator:NoMechanical actuator:NoOrder code HR301CD048

Weight [g] 17.07

Qty. per package 20

Multiple qty. of packs per order 20

Package dimensions [mm]

Volume [cm³] 19.656

Bar code [EAN13] 8013975242568

HS Code 85364900

ETIM for HR301CD048 Relays (EC001437)

Feature Name
Feature Value
Material of contact insert (EF008521)
Other
Voltage type for actuating (EF008242)
DC
Material contact (EF007544)
Other
Material of contact surface (EF004020)
Other
Type of electric connection (EF003961)
Plug-in connection
Type of switch contact (EF003358)
Single contact
Drive, switching attitude (EF003356)
Mono stable
Drive, polarization (EF003355)
Polarity free
Rated control supply voltage DC (EF003980)
48 V
With LED indication (EF005950)
No
Complete with socket (EF003359)
No
With forced-guided contacts (EF003357)
No
With detachable clamps (EF003340)
No
Number of contacts as change-over contact (EF008257)
1
Number of contacts as normally open contact (EF008256)
0
Number of contacts as normally closed contact (EF008255)
0
Depth (EF000049)
12.7 mm
Height (EF000040)
15.7 mm
Width (EF000008)
29 mm
Nominal current (EF000001)
16 A

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / HR301CD048 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.