

INDUSTRIAL COMPONENT DATA

HR604CA012 LOVATO RELE' INDUSTRIALE 4SC 5A 12VAC +LED

Brand: LOVATO ELECTRIC | Manufacturer Part Number: HR604CA012



Manufacturer	LOVATO ELECTRIC
MPN / Reference	HR604CA012
Catalog number	10000
Category	Switching relay
Minimum order	1 Pcs
Document ID	EO-C1E996F39C
Generated	2026-08-02

Product Overview

RELE' INDUSTRIALE 4SC 5A 12VAC +LED

Industrial relay with LED state indicator and mechanical actuator, 12VAC, 5A, 4 C/O contact. Fitting on socket HR6XS4...

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Industrial relays

Additional Product Information

HR604CA012

Industrial relay with LED state indicator and mechanical actuator, 12VAC, 5A, 4 C/O contact. Fitting on socket HR6XS4...

Technical specifications

Type of product:Industrial relaysType of contacts:4 C/ORelay control voltage:12VACIEC Conventional free air thermal current Ith [A]:5LED state indicator:YesMechanical actuator:YesOrder code HR604CA012

Weight [g] 36.75

Qty. per package 10

Multiple qty. of packs per order 10

Package dimensions [mm] 140X103X035

Volume [cm³] 54.47

Bar code [EAN13] 8013975242599

HS Code 85364900

7.45 £

ETIM for HR604CA012 Relays (EC001437)

Feature Name	
Feature Value	
Material of contact insert (EF008521)	
Other	
Voltage type for actuating (EF008242)	
AC	
Material contact (EF007544)	
Other	
Material of contact surface (EF004020)	
Other	
Type of electric connection (EF003961)	
Plug-in connection	
Type of switch contact (EF003358)	
Single contact	
Drive, switching attitude (EF003356)	
Mono stable	
Drive, polarization (EF003355)	
Polarity free	
Rated control supply voltage AC 60 Hz (EF003979)	
12 V	
Rated control supply voltage AC 50 Hz (EF003978)	
12 V	
With LED indication (EF005950)	
Yes	
Complete with socket (EF003359)	
No	
With forced-guided contacts (EF003357)	
No	
With detachable clamps (EF003340)	
No	
Number of contacts as change-over contact (EF008257)	
4	
Number of contacts as normally open contact (EF008256)	
0	
Number of contacts as normally closed contact (EF008255)	
0	
Depth (EF000049)	
21 mm	
Height (EF000040)	
36 mm	
Width (EF000008)	
28 mm	
Nominal current (EF000001)	
5 A	

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / HR604CA012 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.