

INDUSTRIAL COMPONENT DATA

HR703CA110 LOVATO Relay Industrial 11-PIN 3-Switched 10A 110VAC+LED

Brand: LOVATO ELECTRIC | Manufacturer Part Number: HR703CA110



Manufacturer	LOVATO ELECTRIC
MPN / Reference	HR703CA110
Catalog number	10000
Category	Switching relay
Minimum order	1 Pcs
Document ID	EO-8F3D0507DA
Generated	2026-08-03

Product Overview

Relay Industrial 11-PIN 3-Switched 10A 110VAC+LED

IND. RELAY 11 PINS 3C/O 10A 110VAC+LED

11-PIN Industrial relay with LED state indicator and mechanical actuator, 110/120VAC, 10A, 3 C/O contacts, fitting on socket HR7XS2

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Industrial relays

Additional Product Information

HR703CA110

11-PIN Industrial relay with LED state indicator and mechanical actuator, 110/120VAC, 10A, 3 C/O contacts, fitting on socket HR7XS2

Technical specifications

Type of product: Industrial relays
Type of contacts: 3 C/O
Relay control voltage: 110VAC
IEC Conventional free air thermal current I_{th} [A]: 10
LED state indicator: Yes
Mechanical actuator: Yes
Order code HR703CA110

Weight [g] 101.63

Qty. per package 10

Multiple qty. of packs per order 10

Package dimensions [mm] 197X145X38

Volume [cm³] 108.5

Bar code [EAN13] 8013975233818

HS Code 85364900

12.72 £

ETIM for HR703CA110 Relays (EC001437)

Feature Name

Feature Value

Material of contact insert (EF008521)

Other

Voltage type for actuating (EF008242)

AC

Material contact (EF007544)

Other

Material of contact surface (EF004020)

Other

Type of electric connection (EF003961)

Plug-in connection

Type of switch contact (EF003358)

Single contact

Drive, switching attitude (EF003356)

Mono stable

Drive, polarization (EF003355)

Polarity free

Rated control supply voltage AC 60 Hz (EF003979)

110 V

Rated control supply voltage AC 50 Hz (EF003978)

110 V

With LED indication (EF005950)

Yes

Complete with socket (EF003359)

No

With forced-guided contacts (EF003357)

No

With detachable clamps (EF003340)

No

Number of contacts as change-over contact (EF008257)

3

Number of contacts as normally open contact (EF008256)

0

Number of contacts as normally closed contact (EF008255)

0

Depth (EF000049)

35 mm

Height (EF000040)

42 mm

Width (EF000008)

36 mm

Nominal curren...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / HR703CA110 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.