

INDUSTRIAL COMPONENT DATA

HRA101CE024S LOVATO Relay Narrow+Base spring 1Conmutado 6A 24VACDC

Brand: LOVATO ELECTRIC | Manufacturer Part Number: HRA101CE024S



Manufacturer	LOVATO ELECTRIC
MPN / Reference	HRA101CE024S
Catalog number	10000
Category	Switching relay
Minimum order	1 Pcs
Document ID	EO-56A5DD2D5E
Generated	2026-08-03

Product Overview

Relay Narrow+Base spring 1Conmutado 6A 24VACDC

SLIM RELAY+SOCKET SPRING 1C/O 6A 24VACDC

Slim electromechanical relay assembled on socket, 24VAC/DC, 6A, 1 C/O contact, spring terminals

SLIM ELECTROMECHANICAL RELAY ASSEMBLED ON THE SOCKET, 24VAC/DC, 6A, 1 C/O CONTACT, SPRING TERMINALS

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Industrial relays

Additional Product Information

HRA101CE024S

Slim electromechanical relay assembled on socket, 24VAC/DC, 6A, 1 C/O contact, spring terminals

Technical specifications

Type of product: Slim relays on the socketType of contacts: 1 C/O Relay control voltage: 24VAC/VDC IEC Conventional free air thermal current I_{th} [A]: 6 LED state indicator: Yes Mechanical actuator: No Type of socket: Spring terminals Order code

HRA101CE024S

Weight [g] 37

Qty. per package 10

Multiple qty. of packs per order 10

Package dimensions [mm] 365X200X210

Volume [cm³] 76.65

Bar code [EAN13] 8013975233153

HS Code 85364900

17.83 £

ETIM for HRA101CE024S Relays (EC001437)

Feature Name

Feature Value

Rated control supply voltage DC (EF003980)

24 V

Rated control supply voltage AC 60 Hz (EF003979)

24 V

Rated control supply voltage AC 50 Hz (EF003978)

24 V

Number of contacts as change-over contact (EF008257)

1

Number of contacts as normally open contact (EF008256)

0

Number of contacts as normally closed contact (EF008255)

0

Depth (EF000049)

76.5 mm

Height (EF000040)

89.5 mm

Width (EF000008)

6.3 mm

Nominal current (EF000001)

6 A

With LED indication (EF005950)

No

Complete with socket (EF003359)

Yes

With forced-guided contacts (EF003357)

No

With detachable clamps (EF003340)

No

Material of contact insert (EF008521)

Other

Voltage type for actuating (EF008242)

AC/DC

Material contact (EF007544)

Other

Degree of protection (IP) (EF005474)

IP20

Material of contact surface (EF004020)

Other

Type of electric connection (EF003961)

Spring clamp connection

Type of switch con...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / HRA101CE024S with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.