

INDUSTRIAL COMPONENT DATA

LPCB105K10 LOVATO KIT LPCB105 + 1NA

Brand: LOVATO ELECTRIC | Manufacturer Part Number: LPCB105K10



Manufacturer	LOVATO ELECTRIC
MPN / Reference	LPCB105K10
Catalog number	10000
Category	Push button, complete
Minimum order	1 Pcs
Document ID	EO-31B66EA474
Generated	2026-07-28

Product Overview

KIT LPCB105 + 1NA

KIT plastic pushbutton actuator, spring return, flush, yellow with mounting adapter and 1 contact element, NO. Screw termination

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Pushbuttons and selector switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

LPCB105K10

KIT plastic pushbutton actuator, spring return, flush, yellow with mounting adapter and 1 contact element, NO. Screw termination

Technical specifications

Type of product:Pushbuttons in KITType of actuator:FlushSeries:Platinum chromed plastic Ø22mmColour:YellowIlluminated element:NoSymbol:NoType of terminals:ScrewLatching mechanism:Spring returnComplete with mounting adapter:YesOrder code LPCB105K10

Weight [g] 27.8

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 160X171X004

Volume [cm³] 104.72

Bar code [EAN13] 8013975319529

HS Code 85365080

12.89 £

ETIM for LPCB105K10 Low-voltage industrial controls and switchgear (EC001028)

Feature Name

Feature Value

Degree of protection (IP) (EF005474)

IP67/IP69K

Type of button (EF001546)

Flat

Type of electric connection (EF003961)

Screw connection

Colour front ring (EF002429)

Chrome

Colour button (EF000190)

Yellow

Construction type lens (EF006253)

Round

Degree of protection (NEMA) (EF011959)

Other

Material front ring (EF005972)

Plastic

Switching function latching (EF007447)

No

With front ring (EF006014)

Yes

Spring-return (EF001407)

Yes

Suitable for lighting (EF001142)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256)

0

Number of contacts as normally closed contact (EF008255)

1

Height opening (EF004778)

22 mm

Width opening (EF004565)

22 mm

Number of command positions (EF001372)

1

Hole diameter (EF000079)

22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / LPCB105K10 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.