

INDUSTRIAL COMPONENT DATA

LPCS130K20 LOVATO KIT LPCS130 + 2NA

Brand: LOVATO ELECTRIC | Manufacturer Part Number: LPCS130K20



Manufacturer	LOVATO ELECTRIC
MPN / Reference	LPCS130K20
Catalog number	LPCS130K20
Category	Push button, complete
Minimum order	1 Pcs
Document ID	EO-D2865E658D
Generated	2026-08-02

Product Overview

KIT LPCS130 + 2NA

KIT plastic selector switch actuator knob, 3 position, 1 0 2 with mounting adapter and 2 contact elements, 2NO. Screw termination

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Pushbuttons and selector switches - LOVATO ELECTRIC

Additional Product Information

LPCS130K20

KIT plastic selector switch actuator knob, 3 position, 1 0 2 with mounting adapter and 2 contact elements, 2NO. Screw termination

Technical specifications

Type of product:Selector switches in KITSeries:Platinum chromed plastic Ø22mmColour:BlackIlluminated element:NoSymbol:NoType of terminals:ScrewType of lever for selector switches:ShortType of positions for selector switches:3Complete with mounting adapter:YesOrder code LPCS130K20

Weight [g] 41

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 160X171X005

Volume [cm³] 147.42

Bar code [EAN13] 8013975319697

HS Code 85365080

25.72 £

ETIM for LPCS130K20 Low-voltage industrial controls and switchgear (EC001028)

Feature Name

Feature Value

Degree of protection (IP) (EF005474)

IP67/IP69K

Type of electric connection (EF003961)

Screw connection

Colour front ring (EF002429)

Chrome

Colour button (EF000190)

Black

Construction type lens (EF006253)

Round

Degree of protection (NEMA) (EF011959)

Other

Material front ring (EF005972)

Plastic

Switching function latching (EF007447)

No

With front ring (EF006014)

Yes

Spring-return (EF001407)

Yes

Suitable for lighting (EF001142)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256)

0

Number of contacts as normally closed contact (EF008255)

2

Height opening (EF004778)

22 mm

Width opening (EF004565)

22 mm

Number of command positions (EF001372)

2

Hole diameter (EF000079)

22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / LPCS130K20 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.