

INDUSTRIAL COMPONENT DATA

LPCS320K10 LOVATO KIT LPCS320 + 1NA

Brand: LOVATO ELECTRIC | Manufacturer Part Number: LPCS320K10



Manufacturer	LOVATO ELECTRIC
MPN / Reference	LPCS320K10
Catalog number	LPCS320K10
Category	Push button, complete
Minimum order	1 Pcs
Document ID	EO-E8B95DF2CF
Generated	2026-08-02

Product Overview

KIT LPCS320 + 1NA

KIT plastic selector switch actuator key, 2 position, 0 1 with mounting adapter and 1 contact element, NO. Screw termination

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Pushbuttons and selector switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

LPCS320K10

KIT plastic selector switch actuator key, 2 position, 0 1 with mounting adapter and 1 contact element, NO. Screw termination

Technical specifications

Type of product:Selector switches in KITSeries:Platinum chromed plastic Ø22mmColour:BlackIlluminated element:NoSymbol:NoType of terminals:ScrewType of lever for selector switches:KeyType of positions for selector switches:2Complete with mounting adapter:YesOrder code LPCS320K10

Weight [g] 59.4

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 160X171X005

Volume [cm³] 125.337

Bar code [EAN13] 8013975319833

HS Code 85365080

36.93 £

ETIM for LPCS320K10 Low-voltage industrial controls and switchgear (EC001028)

Feature Name

Feature Value

Degree of protection (IP) (EF005474)

IP67/IP69K

Type of electric connection (EF003961)

Screw connection

Colour front ring (EF002429)

Chrome

Colour button (EF000190)

Black

Construction type lens (EF006253)

Round

Degree of protection (NEMA) (EF011959)

Other

Material front ring (EF005972)

Plastic

Switching function latching (EF007447)

No

With front ring (EF006014)

Yes

Spring-return (EF001407)

Yes

Suitable for lighting (EF001142)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256)

0

Number of contacts as normally closed contact (EF008255)

1

Height opening (EF004778)

22 mm

Width opening (EF004565)

22 mm

Number of command positions (EF001372)

1

Hole diameter (EF000079)

22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / LPCS320K10 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.