

INDUSTRIAL COMPONENT DATA

LPMLD5 LOVATO LED INTEGRATED MONOBLOCK PILOT LIGHT, STEADY LIGHT Ø22MM PLATINUM SERIES, YELLOW, 48VAC/DC

Brand: LOVATO ELECTRIC | Manufacturer Part Number: LPMLD5



Manufacturer	LOVATO ELECTRIC
MPN / Reference	LPMLD5
Catalog number	10000
Category	Indicator light complete
Minimum order	1 Pcs
Document ID	EO-DC1926DCF5
Generated	2026-07-29

Product Overview

LED INTEGRATED MONOBLOCK PILOT LIGHT, STEADY LIGHT Ø22MM PLATINUM SERIES, YELLOW, 48VAC/DC
MONOBLOCK YELLOW LED PILOT LIGHT 48V

LED integrated monoblock pilot light, steady light Ø22mm Platinum series chromed plastic, yellow, 48VAC/DC
MONOBLOC LED FIXED LIGHT INDICATOR LIGHT Ø22MM PLATINUM SERIES, YELLOW, 48VAC/DC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Pushbuttons and selector switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

LPMLD5

LED integrated monoblock pilot light, steady light Ø22mm Platinum series chromed plastic, yellow, 48VAC/DC

Technical specifications

Type of product: Monoblock actuators Type of actuator: LED pilot light Series: Platinum chromed plastic

Ø22mm Colour: Yellow Symbol: No Supply voltage: 48VAC/VDC Order code LPMLD5

Weight [g] 21.3

Qty. per package 10

Multiple qty. of packs per order 10

Package dimensions [mm] 190X065X057

Volume [cm³] 70.395

Bar code [EAN13] 8013975225134

HS Code 85318070

8.69 £

ETIM for LPMLD5 Low-voltage industrial controls and switchgear (EC000272)

Feature Name

Feature Value

Degree of protection (NEMA) (EF011959)

4X

Type of lens (EF008343)

Flat

Type of lamp socket (EF008229)

LED

Construction type lens (EF006253)

Round

Material front ring (EF005972)

Plastic

Degree of protection (IP) (EF005474)

IP67/IP69K

Type of electric connection (EF003961)

Screw connection

Colour front ring (EF002429)

Other

Colour lens (EF000207)

Yellow

Voltage type (EF000187)

AC/DC

Rated operating voltage Ue (EF002418)

48 V

With front ring (EF006014)

Yes

With light source (EF005905)

Yes

Height opening (EF004778)

22 mm

Width opening (EF004565)

22 mm

Number of indicator lights (EF001965)

1

Hole diameter (EF000079)

22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / LPMLD5 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.