

INDUSTRIAL COMPONENT DATA

LPMLM7 LOVATO LED INTEGRATED MONOBLOCK PILOT LIGHT, STEADY LIGHT Ø22MM PLATINUM SERIES, TRANSPARENT, 230VAC

Brand: LOVATO ELECTRIC | Manufacturer Part Number: LPMLM7



Manufacturer	LOVATO ELECTRIC
MPN / Reference	LPMLM7
Catalog number	10000
Category	Indicator light complete
Minimum order	1 Pcs
Document ID	EO-00987B7570
Generated	2026-07-31

Product Overview

LED INTEGRATED MONOBLOCK PILOT LIGHT, STEADY LIGHT Ø22MM PLATINUM SERIES, TRANSPARENT, 230VAC

MONOBLOCK TRANSPAR. LED PILOT LIGHT 230V

LED integrated monoblock pilot light, steady light Ø22mm Platinum series chromed plastic, transparent, 230VAC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path

LOVATO ELECTRIC > Pushbuttons and selector switches - LOVATO ELECTRIC

Additional Product Information

LPMLM7

LED integrated monoblock pilot light, steady light Ø22mm Platinum series chromed plastic, transparent, 230VAC

Technical specifications

Type of product: Monoblock actuators Type of actuator: LED pilot light Series: Platinum chromed plastic

Ø22mm Colour: Transparent Symbol: No Supply voltage: 230VAC Order code LPMLM7

Weight [g] 23.57

Qty. per package 10

Multiple qty. of packs per order 10

Package dimensions [mm] 190X065X057

Volume [cm³] 70.395

Bar code [EAN13] 8013975225257

HS Code 85318070

10.93 £

ETIM for LPMLM7 Low-voltage industrial controls and switchgear (EC000272)

Feature Name

Feature Value

Degree of protection (NEMA) (EF011959)

4X

Type of lens (EF008343)

Flat

Type of lamp socket (EF008229)

LED

Construction type lens (EF006253)

Round

Material front ring (EF005972)

Plastic

Degree of protection (IP) (EF005474)

IP67/IP69K

Type of electric connection (EF003961)

Screw connection

Colour front ring (EF002429)

Other

Colour lens (EF000207)

Colourless

Voltage type (EF000187)

AC

Rated operating voltage Ue (EF002418)

230 V

With front ring (EF006014)

Yes

With light source (EF005905)

Yes

Height opening (EF004778)

22 mm

Width opening (EF004565)

22 mm

Number of indicator lights (EF001965)

1

Hole diameter (EF000079)

22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / LPMLM7 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.