

INDUSTRIAL COMPONENT DATA

LPSB6642 LOVATO Metal Locking Mushroom, rotational unlock Ø 40mm Black

Brand: LOVATO ELECTRIC | Manufacturer Part Number: LPSB6642



Manufacturer	LOVATO ELECTRIC
MPN / Reference	LPSB6642
Catalog number	10000
Category	Front element for push button
Minimum order	1 Pcs
Document ID	EO-63A966ED50
Generated	2026-08-02

Product Overview

Metal Locking Mushroom, rotational unlock Ø 40mm Black

Mushroom head pushbutton actuator Ø22mm Platinum series metal, latch, turn to release, Ø40mm. For normal stopping. Black

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Pushbuttons and selector switches - LOVATO ELECTRIC

Additional Product Information

LPSB6642

Mushroom head pushbutton actuator Ø22mm Platinum series metal, latch, turn to release, Ø40mm. For normal stopping. Black

Technical specifications

Type of product:PushbuttonsType of actuator:Mushroom headSeries:Platinum metal Ø22mmColour:BlackIlluminated element:NoSymbol:NoLatching mechanism:Turn to releaseType of stopping for mushroom head:NormalHead diameter [mm]:40Order code LPSB6642

Weight [g] 53.42

Qty. per package 5

Multiple qty. of packs per order 5

Package dimensions [mm] 160X171X006

Volume [cm³] 161.168

Bar code [EAN13] 8013975295236

HS Code 85365080

30.94 £

ETIM for LPSB6642 Low-voltage industrial controls and switchgear (EC000221)

Feature Name

Feature Value

Degree of protection (NEMA), front side (EF011961)

4X

Construction type lens (EF006253)

Round

Material front ring (EF005972)

Metal

Degree of protection (IP), front side (EF003118)

IP67/IP69K

Type of button (EF001546)

Other

Colour button (EF000190)

Black

Switching function latching (EF007447)

Yes

With front ring (EF006014)

Yes

With protective cover (EF005500)

No

Labelled (EF001537)

No

Spring-return (EF001407)

Yes

Suitable for lighting (EF001142)

No

Height opening (EF004778)

22 mm

Width opening (EF004565)

22 mm

Number of command positions (EF001372)

1

Hole diameter (EF000079)

22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / LPSB6642 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.