

INDUSTRIAL COMPONENT DATA

LPSB6842 LOVATO Metal Locking Mushroom, Key Unlock Ø 40mm Black

Brand: LOVATO ELECTRIC | Manufacturer Part Number: LPSB6842



Manufacturer	LOVATO ELECTRIC
MPN / Reference	LPSB6842
Catalog number	10000
Category	Front element for push button
Minimum order	1 Pcs
Document ID	EO-99B021036F
Generated	2026-08-04

Product Overview

Metal Locking Mushroom, Key Unlock Ø 40mm Black

Mushroom head pushbutton actuator Ø22mm Platinum series metal, latch, turn key to release, Ø40mm. For normal stopping. Black

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Pushbuttons and selector switches - LOVATO ELECTRIC

Additional Product Information

LPSB6842

Mushroom head pushbutton actuator Ø22mm Platinum series metal, latch, turn key to release, Ø40mm. For normal stopping. Black

Technical specifications

Type of product:PushbuttonsType of actuator:Mushroom headSeries:Platinum metal Ø22mmColour:BlackIlluminated element:NoSymbol:NoLatching mechanism:Turn key to releaseType of stopping for mushroom head:NormalHead diameter [mm]:40Order code LPSB6842

Weight [g] 88

Qty. per package 5

Multiple qty. of packs per order 5

Package dimensions [mm] 160X171X006

Volume [cm³] 161.168

Bar code [EAN13] 8013975295281

HS Code 85365080

39.58 £

ETIM for LPSB6842 Low-voltage industrial controls and switchgear (EC000221)

Feature Name

Feature Value

Degree of protection (NEMA), front side (EF011961)

4X

Construction type lens (EF006253)

Round

Material front ring (EF005972)

Metal

Degree of protection (IP), front side (EF003118)

IP67/IP69K

Type of button (EF001546)

Other

Colour button (EF000190)

Black

Switching function latching (EF007447)

No

With front ring (EF006014)

Yes

With protective cover (EF005500)

No

Labelled (EF001537)

No

Spring-return (EF001407)

Yes

Suitable for lighting (EF001142)

No

Height opening (EF004778)

22 mm

Width opening (EF004565)

22 mm

Number of command positions (EF001372)

1

Hole diameter (EF000079)

22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / LPSB6842 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.