

INDUSTRIAL COMPONENT DATA

LPSB6844R520E LOVATO Metal Mushroom lock, unlocking by rotation according to ISO 13850 Ø 40mm Red R520E

Brand: LOVATO ELECTRIC | Manufacturer Part Number: LPSB6844R520E



Manufacturer	LOVATO ELECTRIC
MPN / Reference	LPSB6844R520E
Catalog number	13850
Category	Front element for push button
Minimum order	1 Pcs
Document ID	EO-9E255E0631
Generated	2026-08-06

Product Overview

Metal Mushroom lock, unlocking by rotation according to ISO 13850 Ø 40mm Red R520E

Mushroom head pushbutton actuator Ø22mm Platinum series metal, latch, turn key to release, Ø40mm. For emergency stopping. ISO 13850. Red. Different key code

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Pushbuttons and selector switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

LPSB6844R520E

Mushroom head pushbutton actuator Ø22mm Platinum series metal, latch, turn key to release, Ø40mm. For emergency stopping. ISO 13850. Red. Different key code

Technical specifications

Type of product:PushbuttonsType of actuator:Mushroom headSeries:Platinum metal Ø22mmColour:RedIlluminated element:NoSymbol:NoLatching mechanism:Turn key to releaseType of stopping for mushroom head:ISO13850

EmergencyHead diameter [mm]:40Order code LPSB6844R520E

Weight [g] 88

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 160X171X006

Volume [cm³] 161.168

Bar code [EAN13] 8013975295397

HS Code 85365080

79.56 £

ETIM for LPSB6844R520E Low-voltage industrial controls and switchgear (EC000221)

Feature Name

Feature Value

Degree of protection (NEMA), front side (EF011961)

4X

Construction type lens (EF006253)

Round

Material front ring (EF005972)

Metal

Degree of protection (IP), front side (EF003118)

IP67/IP69K

Type of button (EF001546)

Other

Colour button (EF000190)

Red

Switching function latching (EF007447)

No

With front ring (EF006014)

Yes

With protective cover (EF005500)

No

Labelled (EF001537)

No

Spring-return (EF001407)

Yes

Suitable for lighting (EF001142)

No

Height opening (EF004778)

22 mm

Width opening (EF004565)

22 mm

Number of command positions (EF001372)

1

Hole diameter (EF000079)

22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / LPSB6844R520E with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.