

INDUSTRIAL COMPONENT DATA

LRHA07 LOVATO HMI DISPLAY 7" TFT LCD 64K COLORS TOUCH-SCREEN, SUPPLY 24VDC, PORTS ETHERNET, RS232/RS485/RS42..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: LRHA07



Manufacturer	LOVATO ELECTRIC
MPN / Reference	LRHA07
Catalog number	10000
Category	Graphic panel
Minimum order	1 Pcs
Document ID	EO-27B4734D19
Generated	2026-08-02

Product Overview

HMI DISPLAY 7" TFT LCD 64K COLORS TOUCH-SCREEN, SUPPLY 24VDC, PORTS ETHERNET, RS232/RS485/RS422, USB

HMI DISPLAY 7" TFT LCD

HMI display 7" TFT LCD 64K colors touch-screen, supply 12-24VDC, ports Ethernet, RS232/RS485/RS422, USB. Protocols Modbus-RTU, Modbus-TCP, SIMATIC S7 Ethernet, OPC UA and MQTT

HMI DISPLAY 7 TFT LCD 64K COLORS TOUCH-SCREEN, POWER SUPPLY. 24VDC, ETHERNET PORTS, RS232/RS485/RS422, USB. SUPPORT MODBUS RTU, MODBUS TCP, SIMATIC S7 ETHERNET, OPC UA AND MQTT PROTOCOLS

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Micro PLCs - LOVATO ELCTRIC
--------------	---

Additional Product Information

LRHA07

HMI display 7" TFT LCD 64K colors touch-screen, supply 12-24VDC, ports Ethernet, RS232/RS485/RS422, USB. Protocols Modbus-RTU, Modbus-TCP, SIMATIC S7 Ethernet, OPC UA and MQTT

Technical specifications

Type of product:HMIRated supply voltage:12-24VDCBuilt-in communication port:Ethernet, USB and serial (RS232, RS485, RS422 software configurable)Display:7" graphic TFT display, touch screen, 64k colorsOrder code LRHA07

Weight [g] 854.9
Qty. per package 1
Multiple qty. of packs per order 1
Package dimensions [mm] 240X100X200
Volume [cm³] 4800
Bar code [EAN13] 8013975232545
HS Code 85371091
792.51 £
ETIM for LRHA07 PLC's (EC001412)
Feature Name
Feature Value
Touch technology (EF010884)
Resistive touch
Type of display (EF008244)
TFT
Degree of protection (IP), front side (EF003118)
IP65
Voltage type (supply voltage) (EF002991)
DC
Supply voltage DC (EF007534)
24 V
Operating temperature (EF002393)
0 °C
Radio standard UMTS (EF008525)
No
Radio standard GSM (EF008524)
No
Radio standard GPRS (EF008523)
No
Supporting protocol for SafetyBUS p (EF007527)
No
Supporting protocol for PROFIsafe (EF007526)
No
Supporting protocol for PROFINET IO (EF007525)
No
Supporting protocol for PROFINET CBA (EF007524)
No
Supporting protocol for Foundation Fieldbus (EF007522)
No
Supporting protocol for EtherNet/IP (EF007521)
No
Supporting protocol for DeviceNet Safety (EF007520)
No
Supporting protocol for AS-Interface Safety at Work (EF007519)
No
IO link master (EF007298)
No

Radio standard WLAN 802.11 (...)

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / LRHA07 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.