

INDUSTRIAL COMPONENT DATA

KSB2S LOVATO PLASTIC MICRO SWITCH, K SERIES, TOP ROLLER PUSH PLUNGER. M12 FIXING HEAD, 90° ROLLER, CONTACTS ..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: KSB2S



Manufacturer	LOVATO ELECTRIC
MPN / Reference	KSB2S
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-F0CD5B6BB6
Generated	2026-08-05

Product Overview

PLASTIC MICRO SWITCH, K SERIES, TOP ROLLER PUSH PLUNGER. M12 FIXING HEAD, 90° ROLLER, CONTACTS 1NO/NC. SOLDER TERMINAL

M12 FIXINF HEAD 1NO+1NC 90° ROLLER SOLDE

Plastic micro switch, K series, top roller push plunger. M12 fixing head, 90° roller. Contacts 1NO/NC. Solder terminals
K SERIES PLASTIC MICROSWITCH, ROD WITH WHEEL. M12 THREADED HEAD FIXING, 1NO/NC CONTACTS.
SWOLDER CONTACTS

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC
--------------	--

Additional Product Information

KSB2S

Plastic micro switch, K series, top roller push plunger. M12 fixing head, 90° roller. Contacts 1NO/NC. Solder terminals

Technical specifications

Type of product:Plastic micro switchesProduct characteristics:Top roller push plungerHousing material:Polymer thermoplasticType of contacts:1NO/NCType of terminals:SolderOrder code KSB2S

Weight [g] 56.6

Qty. per package 10

Multiple qty. of packs per order 10

Package dimensions [mm] 106X100X075

Volume [cm³] 79.5

Bar code [EAN13] 8013975148136

HS Code 85365080

21.47 £

ETIM for KSB2S Sensors (EC000030)

Feature Name

Feature Value

Alignment of the control element (EF008793)

Roller cam straight

Type of interface (EF006977)

None

Type of control element (EF006976)

Roller cam

Degree of protection (IP) (EF005474)

IP00

Construction type housing (EF004008)

Cuboid

Explosion safety category for dust (EF003998)

None

Explosion safety category for gas (EF003997)

None

Type of electric connection (EF003961)

Other

Type of interface for safety communication (EF003956)

None

Coating housing (EF001601)

Other

Housing material (EF001596)

Plastic

Switching function (EF000189)

Other

Ambient temperature during operating (EF007515)

-25 °C

Switching function latching (EF007447)

No

Output electronic (EF006987)

No

Forced opening (EF006694)

No

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Number of contacts as change-over contact (EF008257)

1

Number of contacts as normally open contact (EF008256)

0

Number of contacts as norma...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / KSB2S with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.