

INDUSTRIAL COMPONENT DATA

KPB6L11 LOVATO PREWIRED METAL LIMIT SWITCH, K SERIES, TOP ROLLER PUSH PLUNGER. M12 HEAD, CONTACTS 1NO+1NC SL..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: KPB6L11



Manufacturer	LOVATO ELECTRIC
MPN / Reference	KPB6L11
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-D8D18F3E8D
Generated	2026-08-06

Product Overview

PREWIRED METAL LIMIT SWITCH, K SERIES, TOP ROLLER PUSH PLUNGER. M12 HEAD, CONTACTS 1NO+1NC SLOW BREAK

M12 HEAD PREWIRED METAL 1NO+1NC SLOW BR.

Prewired with 2m long cable metal limit switch, K series, top roller push plunger. M12 head. Contacts 1NO+1NC slow action K SERIES PRE-WIRED METAL LIMIT SWITCH, ROD WITH ROLLER. M12 THREADED HEAD FIXING, SLOW 1NO+1NC CONTACTS

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC

Additional Product Information

KPB6L11

Prewired with 2m long cable metal limit switch, K series, top roller push plunger. M12 head. Contacts 1NO+1NC slow action

Technical specifications

Type of product:Prewired metal limit switchesProduct characteristics:M12 head top roller push plungerHousing

material:Aluminium-zinc alloyRoller material:MetalType of contacts:1NO+1NC Slow actionOrder code KPB6L11

Weight [g] 310

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 205X225X020

Volume [cm³] 922.5

Bar code [EAN13] 8013975150184

HS Code 85365080

80.91 £

ETIM for KPB6L11 Sensors (EC000030)

Feature Name

Feature Value

Alignment of the control element (EF008793)

Roller cam straight

Type of interface (EF006977)

None

Type of control element (EF006976)

Roller cam

Degree of protection (IP) (EF005474)

IP67

Construction type housing (EF004008)

Cuboid

Explosion safety category for dust (EF003998)

None

Explosion safety category for gas (EF003997)

None

Type of electric connection (EF003961)

With cable preassembled

Type of interface for safety communication (EF003956)

None

Coating housing (EF001601)

Powder coated

Housing material (EF001596)

Metal

Switching function (EF000189)

Slow-action switch

Ambient temperature during operating (EF007515)

-25 °C

Switching function latching (EF007447)

No

Output electronic (EF006987)

No

Forced opening (EF006694)

Yes

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Number of contacts as change-over contact (EF008257)

0

Number of conta...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / KPB6L11 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.