

INDUSTRIAL COMPONENT DATA

KPB6S11 LOVATO PREWIRED METAL LIMIT SWITCH, K SERIES, TOP ROLLER PUSH PLUNGER. M12 HEAD, CONTACTS 1NO+1NC SN..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: KPB6S11



Manufacturer	LOVATO ELECTRIC
MPN / Reference	KPB6S11
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-D2C5E21ACA
Generated	2026-08-05

Product Overview

PREWIRED METAL LIMIT SWITCH, K SERIES, TOP ROLLER PUSH PLUNGER. M12 HEAD, CONTACTS 1NO+1NC SNAP ACTION

M12 HEAD PREWIRED METAL 1NO+1NC SNAP AC.

Prewired with 2m long cable metal limit switch, K series, top roller push plunger. M12 head. Contacts 1NO+1NC snap action
K SERIES PRE-WIRED METAL LIMIT SWITCH, ROD WITH ROLLER. M12 THREADED HEAD FIXING, SNAP-ON
1NO+1NC CONTACTS

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC
--------------	--

Additional Product Information

KPB6S11

Prewired with 2m long cable metal limit switch, K series, top roller push plunger. M12 head. Contacts 1NO+1NC snap action

Technical specifications

Type of product:Prewired metal limit switchesProduct characteristics:M12 head top roller push plungerHousing material:Aluminium-zinc alloyRoller material:MetalType of contacts:1NO+1NC Snap actionOrder code KPB6S11

Weight [g] 310

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 325X220X015

Volume [cm³] 1072.5

Bar code [EAN13] 8013975150177

HS Code 85365080

80.91 £

ETIM for KPB6S11 Sensors (EC000030)

Feature Name

Feature Value

Alignment of the control element (EF008793)

Roller cam straight

Type of interface (EF006977)

None

Type of control element (EF006976)

Roller cam

Degree of protection (IP) (EF005474)

IP67

Construction type housing (EF004008)

Cuboid

Explosion safety category for dust (EF003998)

None

Explosion safety category for gas (EF003997)

None

Type of electric connection (EF003961)

With cable preassembled

Type of interface for safety communication (EF003956)

None

Coating housing (EF001601)

Powder coated

Housing material (EF001596)

Metal

Switching function (EF000189)

Quick-break switch

Ambient temperature during operating (EF007515)

-25 °C

Switching function latching (EF007447)

No

Output electronic (EF006987)

No

Forced opening (EF006694)

Yes

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Number of contacts as change-over contact (EF008257)

0

Number of cont...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / KPB6S11 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.