

INDUSTRIAL COMPONENT DATA

KNC2S11 LOVATO LIMIT SWITCH, K SERIES, ROLLER CENTRE PUSH LEVER, 2 SIDE CABLE ENTRY. DIMENSIONS COMPATIBLE T..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: KNC2S11



Manufacturer	LOVATO ELECTRIC
MPN / Reference	KNC2S11
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-EDB3949BCF
Generated	2026-08-03

Product Overview

LIMIT SWITCH, K SERIES, ROLLER CENTRE PUSH LEVER, 2 SIDE CABLE ENTRY. DIMENSIONS COMPATIBLE TO EN 50047, METAL BODY, CONTACTS 1NO+1NC SNAP ACTION. METAL ROLLER

MET ROLLER CENTRE LEV 2ENTR L/S 1NO+1NC

Limit switch, K series, roller centre push lever, 2 side cable entry. Dimensions compatible to EN 50047, metal body, contacts 1NO+1NC snap action. Metal roller

K SERIES LIMIT SWITCH, LEVER WITH CENTRAL WHEEL, 2 SIDE CABLE ENTRIES. EN 50047 COMPATIBLE DIMENSIONS, METAL HOUSING, SNAP-IN 1NO+1NC CONTACTS. METAL WHEEL

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC
--------------	--

Additional Product Information

Order code KNC2S11

Weight [g] 222

Package dimensions [mm] 065X046X090

Volume [cm³] 269.1

Bar code [EAN13] 8013975128114

HS Code 85365080

ETIM for KNC2S11 Sensors (EC000030)

Feature Name	
Feature Value	
Alignment of the control element (EF008793)	
Roller cam crossed	
Type of interface (EF006977)	
None	
Type of control element (EF006976)	
Roller lever	
Degree of protection (IP) (EF005474)	
IP65	
Construction type housing (EF004008)	
Cuboid	
Explosion safety category for dust (EF003998)	
None	
Explosion safety category for gas (EF003997)	
None	
Type of electric connection (EF003961)	
Cable entry metrical	
Type of interface for safety communication (EF003956)	
None	
Coating housing (EF001601)	
Powder coated	
Housing material (EF001596)	
Metal	
Switching function (EF000189)	
Quick-break switch	
Ambient temperature during operating (EF007515)	
-25 °C	
Switching function latching (EF007447)	
No	
Output electronic (EF006987)	
No	
Forced opening (EF006694)	
Yes	
With status indication (EF001602)	
No	
Suitable for safety functions (EF001597)	
No	
Number of contacts as change-over contact (EF008257)	
0	
Number of contacts as normally open contact (EF008256)	
1	
Number of contacts as normally closed contact (EF008255)	
1	
Length of sensor (EF007334)	
30 mm	
Height of sensor (EF007283)	

83 mm

Diameter sensor (EF007111)

14 mm

Width sensor (EF007094)

60 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / KNC2S11 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.