

INDUSTRIAL COMPONENT DATA

KSL1S LOVATO PLASTIC MICRO SWITCH, K SERIES, METAL LEVER. 63MM/2.48IN LONG FLAT LEVER, CONTACTS 1NO/NC. SOLD..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: KSL1S



Manufacturer	LOVATO ELECTRIC
MPN / Reference	KSL1S
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-E68A14CBA7
Generated	2026-08-01

Product Overview

PLASTIC MICRO SWITCH, K SERIES, METAL LEVER. 63MM/2.48IN LONG FLAT LEVER, CONTACTS 1NO/NC. SOLDER TERMINAL

METAL 63MM LONG FLAT LEVER SODER 1NO+1NC

Plastic micro switch, K series, metal lever. 63mm/2.48in long flat lever. Contacts 1NO/NC. Solder terminals

K SERIES PLASTIC MICROSWITCH, LEVER. 63MM LONG FLAT LEVER, 1NO/NC CONTACTS. SWOLDER CONTACTS

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC
--------------	--

Additional Product Information

KSL1S

Plastic micro switch, K series, metal lever. 63mm/2.48in long flat lever. Contacts 1NO/NC. Solder terminals

Technical specifications

Type of product:Plastic micro switchesProduct characteristics:Metal leverHousing material:Polymer thermoplasticType of contacts:1NO/NCType of terminals:SolderOrder code KSL1S

Weight [g] 35.4

Qty. per package 10

Multiple qty. of packs per order 10

Package dimensions [mm] 106X100X075

Volume [cm³] 79.5
Bar code [EAN13] 8013975148143
HS Code 85365080
12.88 £
ETIM for KSL1S Sensors (EC000030)
Feature Name
Feature Value
Alignment of the control element (EF008793)
Other
Type of interface (EF006977)
None
Type of control element (EF006976)
Roller lever
Degree of protection (IP) (EF005474)
IP00
Construction type housing (EF004008)
Cuboid
Explosion safety category for dust (EF003998)
None
Explosion safety category for gas (EF003997)
None
Type of electric connection (EF003961)
Other
Type of interface for safety communication (EF003956)
None
Coating housing (EF001601)
Other
Housing material (EF001596)
Plastic
Switching function (EF000189)
Other
Ambient temperature during operating (EF007515)
-25 °C
Switching function latching (EF007447)
No
Output electronic (EF006987)
No
Forced opening (EF006694)
No
With status indication (EF001602)
No
Suitable for safety functions (EF001597)
No
Number of contacts as change-over contact (EF008257)
1
Number of contacts as normally open contact (EF008256)
0

Number of contacts as normally closed contact (EF008255)

0

Leng...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / KSL1S with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.