

INDUSTRIAL COMPONENT DATA

KSL3F LOVATO PLASTIC MICRO SWITCH, K SERIES, METAL LEVER. 168,3MM/6.63IN LONG FLAT CYLINDRICAL LEVER, CONTAC..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: KSL3F



Manufacturer	LOVATO ELECTRIC
MPN / Reference	KSL3F
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-CC33262FA6
Generated	2026-08-05

Product Overview

PLASTIC MICRO SWITCH, K SERIES, METAL LEVER. 168,3MM/6.63IN LONG FLAT CYLINDRICAL LEVER, CONTACTS 1NO/NC. FASTON TERMINALS

METAL LONG FLAT LEVER 1NO/1NC 168,3MM FA

Plastic micro switch, K series, metal lever. 168.3mm/6.63in long flat cylindrical lever. Contacts 1NO/NC. Faston terminals
K SERIES PLASTIC MICROSWITCH, LEVER. 168.3MM LONG FLAT LEVER, 1NO/NC CONTACTS. CONTACTS FASTON

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC
--------------	--

Additional Product Information

KSL3F

Plastic micro switch, K series, metal lever. 168.3mm/6.63in long flat cylindrical lever. Contacts 1NO/NC. Faston terminals

Technical specifications

Type of product:Plastic micro switchesProduct characteristics:Metal leverHousing material:Polymer thermoplasticType of contacts:1NO/NCType of terminals:FastonOrder code KSL3F

Weight [g] 38

Qty. per package 10

Multiple qty. of packs per order 10

Package dimensions [mm] 175X095X076

Volume [cm³] 126.35

Bar code [EAN13] 8013975157466

HS Code 85365080

18.86 £

ETIM for KSL3F Sensors (EC000030)

Feature Name

Feature Value

Alignment of the control element (EF008793)

Other

Type of interface (EF006977)

None

Type of control element (EF006976)

Roller lever

Degree of protection (IP) (EF005474)

IP00

Construction type housing (EF004008)

Cuboid

Explosion safety category for dust (EF003998)

None

Explosion safety category for gas (EF003997)

None

Type of electric connection (EF003961)

Other

Type of interface for safety communication (EF003956)

None

Coating housing (EF001601)

Other

Housing material (EF001596)

Plastic

Switching function (EF000189)

Other

Ambient temperature during operating (EF007515)

-25 °C

Switching function latching (EF007447)

No

Output electronic (EF006987)

No

Forced opening (EF006694)

No

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Number of contacts as change-over contact (EF008257)

1

Number of contacts as normally open contact (EF008256)

0

Number of contacts as normally closed contact (E...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / KSL3F with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.