

## INDUSTRIAL COMPONENT DATA

# KNE1L02 LOVATO LIMIT SWITCH, K SERIES, ROLLER LEVER PLUNGER, 2 SIDE CABLE ENTRY. DIMENSIONS COMPATIBLE TO EN..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: KNE1L02



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | LOVATO ELECTRIC |
| MPN / Reference | KNE1L02         |
| Catalog number  | 10000           |
| Category        | End switch      |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-2A6F1E8545   |
| Generated       | 2026-08-03      |

## Product Overview

LIMIT SWITCH, K SERIES, ROLLER LEVER PLUNGER, 2 SIDE CABLE ENTRY. DIMENSIONS COMPATIBLE TO EN 50047, METAL BODY, CONTACTS 2NC SLOW BREAK. PLASTIC ROLLER

METAL ROLLER LEVER PLUNGER 2ENTR L/S 2NC

Limit switch, K series, roller lever plunger, 2 side cable entry. Dimensions compatible to EN 50047, metal body, contacts 2NC slow action. Plastic roller

K SERIES LIMIT SWITCH, LEVER WITH WHEEL, 2 SIDE CABLE ENTRIES. EN 50047 COMPATIBLE DIMENSIONS, METAL HOUSING, SLOW 2NC CONTACTS. PLASTIC WHEEL

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                                                    |
|--------------|--------------------------------------------------------------------|
| Catalog path | LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC |
|--------------|--------------------------------------------------------------------|

## Additional Product Information

KNE1L02

Limit switch, K series, roller lever plunger, 2 side cable entry. Dimensions compatible to EN 50047, metal body, contacts 2NC slow action. Plastic roller

Technical specifications

Type of product:Metal and plastic limit switchesProduct characteristics:Roller lever plungerHousing material:Aluminium-zinc alloyRoller material:PlasticType of contacts:2NC Slow actionCable entry:M20 on the sidesOrder code KNE1L02

Weight [g] 238

Qty. per package 1  
Multiple qty. of packs per order 1  
Package dimensions [mm] 120X045X060  
Volume [cm<sup>3</sup>] 324  
Bar code [EAN13] 8013975128336  
HS Code 85365080  
49.38 £  
ETIM for KNE1L02 Sensors (EC000030)  
Feature Name  
Feature Value  
Alignment of the control element (EF008793)  
Roller cam crossed  
Type of interface (EF006977)  
None  
Type of control element (EF006976)  
Roller lever  
Degree of protection (IP) (EF005474)  
IP65  
Construction type housing (EF004008)  
Cuboid  
Explosion safety category for dust (EF003998)  
None  
Explosion safety category for gas (EF003997)  
None  
Type of electric connection (EF003961)  
Cable entry metrical  
Type of interface for safety communication (EF003956)  
None  
Coating housing (EF001601)  
Powder coated  
Housing material (EF001596)  
Metal  
Switching function (EF000189)  
Slow-action switch  
Ambient temperature during operating (EF007515)  
-25 °C  
Switching function latching (EF007447)  
No  
Output electronic (EF006987)  
No  
Forced opening (EF006694)  
Yes  
With status indication (EF001602)  
No  
Suitable for safety functions (EF001597)  
No  
Number of contacts as cha...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / KNE1L02 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.