

INDUSTRIAL COMPONENT DATA

KSL3V LOVATO PLASTIC MICRO SWITCH, K SERIES, METAL LEVER. 168,3MM/6.63IN LONG FLAT CYLINDRICAL LEVER, CONTAC..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: KSL3V



Manufacturer	LOVATO ELECTRIC
MPN / Reference	KSL3V
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-65895AC973
Generated	2026-07-28

Product Overview

PLASTIC MICRO SWITCH, K SERIES, METAL LEVER. 168,3MM/6.63IN LONG FLAT CYLINDRICAL LEVER, CONTACTS 1NO/NC. SCREW TERMINALS

MICROSWITCH WITH 168MM ACTUATOR

Plastic micro switch, K series, metal lever. 168.3mm/6.63in long flat cylindrical lever. Contacts 1NO/NC. Screw terminals
K SERIES PLASTIC MICROSWITCH, LEVER. 168.3MM LONG FLAT LEVER, 1NO/NC CONTACTS. SCREW CONTACTS

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC
--------------	--

Additional Product Information

Order code KSL3V

Weight [g] 36.8

Package dimensions [mm] 175X095X076

Volume [cm³] 1388.4

Bar code [EAN13] 8013975154038

HS Code 85365080

ETIM for KSL3V Sensors (EC000030)

Feature Name

Feature Value

Alignment of the control element (EF008793)

Other

Type of interface (EF006977)

None

Type of control element (EF006976)

Roller lever

Degree of protection (IP) (EF005474)

IP00

Construction type housing (EF004008)

Cuboid

Explosion safety category for dust (EF003998)

None

Explosion safety category for gas (EF003997)

None

Type of electric connection (EF003961)

Other

Type of interface for safety communication (EF003956)

None

Coating housing (EF001601)

Other

Housing material (EF001596)

Plastic

Switching function (EF000189)

Other

Ambient temperature during operating (EF007515)

-25 °C

Switching function latching (EF007447)

No

Output electronic (EF006987)

No

Forced opening (EF006694)

No

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Number of contacts as change-over contact (EF008257)

1

Number of contacts as normally open contact (EF008256)

0

Number of contacts as normally closed contact (EF008255)

0

Length of sensor (EF007334)

17.5 mm

Height of sensor (EF007283)

46 mm

Width sensor (EF007094)

49.2 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / KSL3V with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.