

INDUSTRIAL COMPONENT DATA

TMST LOVATO TIME RELAY FOR STARTING. MULTISCALE. MULTIVOLTAGE, MODULAR VERSION, 24-48VDC, 24...240VAC

Brand: LOVATO ELECTRIC | Manufacturer Part Number: TMST



Manufacturer	LOVATO ELECTRIC
MPN / Reference	TMST
Catalog number	10000
Category	Timer relay
Minimum order	1 Pcs
Document ID	EO-5C8F063DA8
Generated	2026-08-01

Product Overview

TIME RELAY FOR STARTING. MULTISCALE. MULTIVOLTAGE, MODULAR VERSION, 24-48VDC, 24...240VAC

MOD.TIMER FOR STAR-DELTA START ERS, MULT

Time relay for starting, multiscale, multivoltage, modular version, 24-48VDC, 24...240VAC

TIMER FOR STAR-DELTA STARTING. MULTISCALE. MULTI-VOLTAGE, MODULAR DESIGN, 24-48VDC, 24...240VAC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Time relays - LOVATO ELECTRIC

Additional Product Information

TMST

Time relay for starting, multiscale, multivoltage, modular version, 24-48VDC, 24...240VAC

Technical specifications

Type of product:Time relaysType of installation:Modular DIN rail mountingFunctions:Star-deltaProgramming

mode:PotentiometersOrder code TMST

Weight [g] 90

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 067X022X094

Volume [cm³] 138.556

Bar code [EAN13] 8013975147146

HS Code 91070000

103.09 £

ETIM for TMST Relays (EC001439)

Feature Name

Feature Value

Voltage type for actuating (EF008242)

AC/DC

Type of electric connection (EF003961)

Screw connection

Rated control supply voltage DC (EF003980)

24 V

Rated control supply voltage AC 60 Hz (EF003979)

24 V

Rated control supply voltage AC 50 Hz (EF003978)

24 V

Time range (EF003384)

0.1 s

Suitable for DIN rail (top hat rail) mounting (EF007250)

Yes

Outputs, reversible delayed/undelayed (EF006988)

No

Pluggable on auxiliary contact block (EF006952)

No

Function pulse shaping (EF003403)

No

Function floating contact on de-energization (EF003402)

No

Function delay on de-energization (EF003401)

No

Function star-delta (EF003380)

Yes

Function floating contact on energization (EF003378)

No

Function delay-on energization (EF003374)

No

With semiconductor output (EF003373)

No

Clock function, starting with pulse, variable (EF003366)

No

Clock function, starting with pause, variable (EF003365)

No

Function flashing, starting with pulse, fixed time (EF003364)

No

Function flashing, starting with pause, fixed...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / TMST with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.