

## INDUSTRIAL COMPONENT DATA

# TMPL LOVATO RECYCLE TIME RELAY, INDEPENDENT TIMINGS. MULTISCALE. MULTIVOLTAGE, MODULAR VERSION, 12...240VAC/DC

Brand: LOVATO ELECTRIC | Manufacturer Part Number: TMPL



|                 |                 |
|-----------------|-----------------|
| Manufacturer    | LOVATO ELECTRIC |
| MPN / Reference | TMPL            |
| Catalog number  | 10000           |
| Category        | Timer relay     |
| Minimum order   | 1 Pcs           |
| Document ID     | EO-267C66B5CC   |
| Generated       | 2026-08-03      |

## Product Overview

RECYCLE TIME RELAY, INDEPENDENT TIMINGS. MULTISCALE. MULTIVOLTAGE, MODULAR VERSION, 12...240VAC/DC

MOD.TIMER RECYCLE WITH 2 TIME SCALES,MUL

Recycle time relay, independent timings, multiscale, multivoltage, modular version, 12...240VAC/DC

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                                 |
|--------------|-------------------------------------------------|
| Catalog path | LOVATO ELECTRIC > Time relays - LOVATO ELECTRIC |
|--------------|-------------------------------------------------|

## Additional Product Information

TMPL

Recycle time relay, independent timings, multiscale, multivoltage, modular version, 12...240VAC/DC

Technical specifications

Type of product:Time relaysType of installation:Modular DIN rail mountingFunctions:Recycle time relay with independent timingsProgramming mode:PotentiometersOrder code TMPL

Weight [g] 82

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 067X022X094

Volume [cm<sup>3</sup>] 138.556

Bar code [EAN13] 8013975147139

HS Code 91070000

133.77 £

ETIM for TMPL Relays (EC001439)

Feature Name

Feature Value

Voltage type for actuating (EF008242)

AC/DC

Type of electric connection (EF003961)

Screw connection

Rated control supply voltage DC (EF003980)

12 V

Rated control supply voltage AC 60 Hz (EF003979)

12 V

Rated control supply voltage AC 50 Hz (EF003978)

12 V

Time range (EF003384)

0.1 s

Suitable for DIN rail (top hat rail) mounting (EF007250)

Yes

Outputs, reversible delayed/undelayed (EF006988)

No

Pluggable on auxiliary contact block (EF006952)

No

Function pulse shaping (EF003403)

No

Function floating contact on de-energization (EF003402)

No

Function delay on de-energization (EF003401)

No

Function star-delta (EF003380)

No

Function floating contact on energization (EF003378)

No

Function delay-on energization (EF003374)

No

With semiconductor output (EF003373)

No

Clock function, starting with pulse, variable (EF003366)

Yes

Clock function, starting with pause, variable (EF003365)

Yes

Function flashing, starting with pulse, fixed time (EF003364)

Yes

F...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / TMPL with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.