

INDUSTRIAL COMPONENT DATA

PMV50NA127 LOVATO Protection relay Voltimétrico three-phase with or without neutral Sequence and fata phases..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: PMV50NA127



Manufacturer	LOVATO ELECTRIC
MPN / Reference	PMV50NA127
Catalog number	10000
Category	Voltage monitoring relay
Minimum order	1 Pcs
Document ID	EO-700F52FF94
Generated	2026-08-05

Product Overview

Protection relay Voltimétrico three-phase with or without neutral Sequence and fata phases, minimum voltage, maximum and failure of neutral 110÷127V AC

Prot. relay phases and voltage III+N Min/Max 110...127V AC

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Protection relays - LOVATO ELECTRIC
--------------	---

Additional Product Information

ETIM for PMV50NA127 Relays (EC001438)

Feature Name

Feature Value

Type of electric connection (EF003961)

Screw connection

Type of voltage measuring range (EF003399)

AC

Voltage measuring range 1 (EF006134)

70 V

Contains function DC-voltage hysteresis (EF003398)

No

Contains function DC-over voltage (EF003397)
No

Contains function DC-under voltage (EF003396)
No

Three-phase hysteresis possible (EF003395)
Yes

Single-phase hysteresis possible (EF003394)
No

Three-phase over voltage possible (EF003393)
Yes

Single-phase over voltage possible (EF003392)
No

Three-phase under voltage possible (EF003391)
Yes

Single-phase under voltage possible (EF003390)
No

With detachable clamps (EF003340)
No

Number of contacts as change-over contact (EF008257)
2

Number of contacts as normally open contact (EF008256)
0

Number of contacts as normally closed contact (EF008255)
0

Min. adjustable off-delay time (EF008192)
0.1 s

Max. permitted off-delay time (EF008191)
20 s

Min. adjustable delay-on energization time (EF008190)
0.1 s

Max. permitted delay-on energization time (EF008189)
20 s

Depth (EF000049)
64.9 mm

Height (EF000040)
104.7 mm

Width (EF000008)
53.5 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / PMV50NA127 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.