

INDUSTRIAL COMPONENT DATA

7GN2520U GN2520U LOVATO ROTARY CAM SWITCHE, GN SERIES, U VERSION FRONT MOUNT. MOTOR SWITCH, POLE CHANGING SW..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 7GN2520U



Manufacturer	LOVATO ELECTRIC
MPN / Reference	7GN2520U
Catalog number	GN2520U
Category	Off-load switch
Minimum order	1 Pcs
Document ID	EO-2FAABB8DBF
Generated	2026-08-04

Product Overview

ROTARY CAM SWITCHE, GN SERIES, U VERSION FRONT MOUNT. MOTOR SWITCH, POLE CHANGING SWITCHES WITH REVERSING (DAHLANDER) - 6 WAFERS - SCHEME 20, 25A

2-speed pole switch (Dahlander) 2-1-0-1-2 GN20 25 A Model U 48x48

Rotary cam switch 7GN series, Dahlander motor 2-speed reversing switch, 25A, for front mounting with black handle, front plate 48X48mm

ROTARY CAM SWITCH 7GN SERIES, DAHLANDER MOTOR 2-SPEED REVERSING SWITCH 25A, FOR FRONT MOUNTING WITH BLACK HANDLE, FRONT PLATE 48X48MM

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Rotary cam switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

7GN2520U

Rotary cam switch 7GN series, Dahlander motor 2-speed reversing switch, 25A, for front mounting with black handle, front plate 48X48mm

Technical specifications

Type of product:Motor starting switchesSwitching diagram:20 - Dahlander motor 2-speed reversing switchIEC Conventional free air thermal current I_{th} [A]:25Mounting form:U - Front mounting with black handleSeries:7GN - round-shaped contact blockOrder code 7GN2520U

Weight [g] 246
Qty. per package 1
Multiple qty. of packs per order 1
Package dimensions [mm] 050X050X144
Volume [cm³] 360
Bar code [EAN13] 3850144005068
HS Code 85365080
98.61 £
ETIM for 7GN2520U Low-voltage industrial controls and switchgear (EC001105)
Feature Name
Feature Value
Type of control element (EF006976)
Short thumb-grip
Type of electrical connection of main circuit (EF006819)
Screw connection
Degree of protection (IP), front side (EF003118)
IP40
Housing material (EF001596)
Plastic
Model (EF000010)
Reversing Dahlander switch
Complete device in housing (EF007317)
Yes
Suitable for intermediate mounting (EF007264)
No
Suitable for distribution board installation (EF007262)
Yes
Suitable for front mounting (EF007246)
Yes
Suitable for floor mounting (EF007243)
No
With retraction in 0-position (EF002428)
No
With zero (off) position (EF001416)
Yes
Number of poles (EF001391)
12
Rated permanent current I_u (EF001389)
25 A
Rated operation power at AC-3, 400 V (EF001364)
7.5 kW

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 7GN2520U with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.