

INDUSTRIAL COMPONENT DATA

LPCB2134 LOVATO PUSHBUTTON ACTUATOR, SPRING RETURN, WITH SYMBOL Ø22MM PLATINUM SERIES, EXTENDED, STOP / RED

Brand: LOVATO ELECTRIC | Manufacturer Part Number: LPCB2134



Manufacturer	LOVATO ELECTRIC
MPN / Reference	LPCB2134
Catalog number	10000
Category	Front element for push button
Minimum order	1 Pcs
Document ID	EO-FBC58D8A51
Generated	2026-08-01

Product Overview

PUSHBUTTON ACTUATOR, SPRING RETURN, WITH SYMBOL Ø22MM PLATINUM SERIES, EXTENDED, STOP / RED
RED EXTENDED PUSH-BUTTON STOP

Pushbutton actuator, spring return, with symbol Ø22mm Platinum series chromed plastic, extended, STOP/Red

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Pushbuttons and selector switches - LOVATO ELECTRIC
--------------	---

Additional Product Information

LPCB2134

Pushbutton actuator, spring return, with symbol Ø22mm Platinum series chromed plastic, extended, STOP/Red

Technical specifications

Type of product:PushbuttonsType of actuator:ExtendedSeries:Platinum chromed plastic Ø22mmColour:RedIlluminated
element:NoSymbol:YesLatching mechanism:Spring returnOrder code LPCB2134

Weight [g] 14

Qty. per package 10

Multiple qty. of packs per order 10

Package dimensions [mm] 180X060X038

Volume [cm³] 41

Bar code [EAN13] 8013975190883

HS Code 85365080

9.36 £

ETIM for LPCB2134 Low-voltage industrial controls and switchgear (EC000221)

Feature Name

Feature Value

Degree of protection (NEMA), front side (EF011961)

4X

Construction type lens (EF006253)

Round

Material front ring (EF005972)

Plastic

Degree of protection (IP), front side (EF003118)

IP67/IP69K

Type of button (EF001546)

Other

Colour button (EF000190)

Red

Switching function latching (EF007447)

No

With front ring (EF006014)

Yes

With protective cover (EF005500)

No

Labelled (EF001537)

No

Spring-return (EF001407)

Yes

Suitable for lighting (EF001142)

No

Height opening (EF004778)

22 mm

Width opening (EF004565)

22 mm

Number of command positions (EF001372)

1

Hole diameter (EF000079)

22 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / LPCB2134 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.