

## INDUSTRIAL COMPONENT DATA

# PMV80NA440 LOVATO VOLTAGE MONITORING RELAY FOR THREE-PHASE SYSTEM, WITH OR WITHOUT NEUTRAL, MINIMUM AND MAXI..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: PMV80NA440



|                 |                          |
|-----------------|--------------------------|
| Manufacturer    | LOVATO ELECTRIC          |
| MPN / Reference | PMV80NA440               |
| Catalog number  | 10000                    |
| Category        | Voltage monitoring relay |
| Minimum order   | 1 Pcs                    |
| Document ID     | EO-ADD18FBBF9            |
| Generated       | 2026-08-03               |

## Product Overview

VOLTAGE MONITORING RELAY FOR THREE-PHASE SYSTEM, WITH OR WITHOUT NEUTRAL, MINIMUM AND MAXIMUM AC VOLTAGE, MINIMUM AND MAXIMUM FREQUENCY. PHASE LOSS, NEUTRAL LOSS AND INCORRECT PHASE SEQUENCE, 380...575VAC 50/60HZ

RELE' PROT.RETE 3F/N 380/440V MULTIFUNZ.

Voltage monitoring realy for three-phase system, with or without neutral, minimum and maximum AC voltage, minimum and maximum frequency. Phase loss, neutral loss and incorrect phase sequence, 380...575VAC 50/60Hz

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                                       |
|--------------|-------------------------------------------------------|
| Catalog path | LOVATO ELECTRIC > Protection relays - LOVATO ELECTRIC |
|--------------|-------------------------------------------------------|

## Additional Product Information

PMV80NA440

Voltage monitoring realy for three-phase system, with or without neutral, minimum and maximum AC voltage, minimum and maximum frequency. Phase loss, neutral loss and incorrect phase sequence, 380...575VAC 50/60Hz

Technical specifications

Type of product:Voltage monitoring relaysType of system:Three-phase with/without neutralNumber of relay outputs:2Rated supply voltage:Self poweredProgramming mode:PotentiometersOrder code PMV80NA440

Weight [g] 188

Qty. per package 1

Multiple qty. of packs per order 1  
Package dimensions [mm] 060X095X075  
Volume [cm<sup>3</sup>] 427.5  
Bar code [EAN13] 8013975179857  
HS Code 85364900  
838.53 £  
ETIM for PMV80NA440 Relays (EC001438)  
Feature Name  
Feature Value  
Type of electric connection (EF003961)  
Screw connection  
Type of voltage measuring range (EF003399)  
AC  
Voltage measuring range 1 (EF006134)  
266 V  
Contains function DC-voltage hysteresis (EF003398)  
No  
Contains function DC-over voltage (EF003397)  
No  
Contains function DC-under voltage (EF003396)  
No  
Three-phase hysteresis possible (EF003395)  
Yes  
Single-phase hysteresis possible (EF003394)  
No  
Three-phase over voltage possible (EF003393)  
Yes  
Single-phase over voltage possible (EF003392)  
No  
Three-phase under voltage possible (EF003391)  
Yes  
Single-phase under voltage possible (EF003390)  
No  
With detachable clamps (EF003340)  
No  
Number of contacts as change-over contact (EF008257)  
2  
Number of contacts as normally open contact (EF008256)  
0  
Number of contacts as normally closed contact (EF008255)  
0  
Min. adju...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / PMV80NA440 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.