

INDUSTRIAL COMPONENT DATA

PMV80NA440 LOVATO VOLTAGE MONITORING RELAY FOR THREE-PHASE SYSTEM, WITH OR WITHOUT NEUTRAL, MINIMUM AND MAXI..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: PMV80NA440



Manufacturer	LOVATO ELECTRIC
MPN / Reference	PMV80NA440
Catalog number	10000
Category	Voltage monitoring relay
Minimum order	1 Pcs
Document ID	EO-ADD18FBBF9
Generated	2026-08-05

Product Overview

VOLTAGE MONITORING RELAY FOR THREE-PHASE SYSTEM, WITH OR WITHOUT NEUTRAL, MINIMUM AND MAXIMUM AC VOLTAGE, MINIMUM AND MAXIMUM FREQUENCY. PHASE LOSS, NEUTRAL LOSS AND INCORRECT PHASE SEQUENCE, 380...575VAC 50/60HZ

RELE' PROT.RETE 3F/N 380/440V MULTIFUNZ.

Voltage monitoring realy for three-phase system, with or without neutral, minimum and maximum AC voltage, minimum and maximum frequency. Phase loss, neutral loss and incorrect phase sequence, 380...575VAC 50/60Hz

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Protection relays - LOVATO ELECTRIC
--------------	---

Additional Product Information

PMV80NA440

Voltage monitoring realy for three-phase system, with or without neutral, minimum and maximum AC voltage, minimum and maximum frequency. Phase loss, neutral loss and incorrect phase sequence, 380...575VAC 50/60Hz

Technical specifications

Type of product:Voltage monitoring relaysType of system:Three-phase with/without neutralNumber of relay outputs:2Rated supply voltage:Self poweredProgramming mode:PotentiometersOrder code PMV80NA440

Weight [g] 188

Qty. per package 1

Multiple qty. of packs per order 1
Package dimensions [mm] 060X095X075
Volume [cm³] 427.5
Bar code [EAN13] 8013975179857
HS Code 85364900
838.53 £
ETIM for PMV80NA440 Relays (EC001438)
Feature Name
Feature Value
Type of electric connection (EF003961)
Screw connection
Type of voltage measuring range (EF003399)
AC
Voltage measuring range 1 (EF006134)
266 V
Contains function DC-voltage hysteresis (EF003398)
No
Contains function DC-over voltage (EF003397)
No
Contains function DC-under voltage (EF003396)
No
Three-phase hysteresis possible (EF003395)
Yes
Single-phase hysteresis possible (EF003394)
No
Three-phase over voltage possible (EF003393)
Yes
Single-phase over voltage possible (EF003392)
No
Three-phase under voltage possible (EF003391)
Yes
Single-phase under voltage possible (EF003390)
No
With detachable clamps (EF003340)
No
Number of contacts as change-over contact (EF008257)
2
Number of contacts as normally open contact (EF008256)
0
Number of contacts as normally closed contact (EF008255)
0
Min. adju...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / PMV80NA440 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.