

INDUSTRIAL COMPONENT DATA

BFA01242024 LOVATO REVERSING CONTACTOR ASSEMBLY, AC COIL, EXTERNAL INTERLOCK WITH POWER AND AUXILIARY WIRING..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: BFA01242024



Manufacturer	LOVATO ELECTRIC
MPN / Reference	BFA01242024
Catalog number	10000
Category	Motor starter/Motor starter combination
Minimum order	1 Pcs
Document ID	EO-8ED5FD8395
Generated	2026-08-02

Product Overview

REVERSING CONTACTOR ASSEMBLY, AC COIL, EXTERNAL INTERLOCK WITH POWER AND AUXILIARY WIRING, 12A AC3 IN AC, 5.7KW. COIL VOLTAGE 24VAC 50/60HZ

REVERSING CONTACTOR 24/50-60 12A AC3

Reversing contactor assembly, AC coil, external interlock with power and auxiliary wiring, 12A AC3 in AC, 5.7kW. Coil voltage 24VAC 50/60Hz

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Electromechanical starters - LOVATO ELECTRIC
--------------	--

Additional Product Information

BFA01242024

Reversing contactor assembly, AC coil, external interlock with power and auxiliary wiring, 12A AC3 in AC, 5.7kW. Coil voltage 24VAC 50/60Hz

Technical specifications

Type of product:Reversing contactor assembliesUL/CSA horsepower ratings 480V [HP]:7.5Type:Open frame, with external interlock with power and auxiliary wiringType of coil:AC coilContactor coil voltage:24VAC 50/60HZOrder code

BFA01242024

Weight [g] 780

Qty. per package 1

Multiple qty. of packs per order 1
Package dimensions [mm] 102X102X115
Volume [cm³] 1196.46
Bar code [EAN13] 8013975154397
HS Code 85371098
207.98 £
ETIM for BFA01242024 Low-voltage industrial controls and switchgear (EC001037)
Feature Name
Feature Value
Degree of protection (NEMA) (EF011959)
Other
Type of motor starter (EF009598)
Reversing starter
Voltage type for actuating (EF008242)
AC
Type of electrical connection for auxiliary- and control current circuit (EF006979)
Screw connection
Type of electrical connection of main circuit (EF006819)
Screw connection
Degree of protection (IP) (EF005474)
IP20
Rated control supply voltage AC 60 Hz (EF003979)
24 V
Rated control supply voltage AC 50 Hz (EF003978)
24 V
Supporting protocol for SafetyBUS p (EF007527)
No
Supporting protocol for PROFIsafe (EF007526)
No
Supporting protocol for PROFINET IO (EF007525)
No
Supporting protocol for PROFINET CBA (EF007524)
No
Supporting protocol for Foundation Fieldbus (EF007522)
No
Supporting protocol for EtherNet/IP (EF007521)
No
Supporting protocol for Devi...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / BFA01242024 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.