

INDUSTRIAL COMPONENT DATA

11BGT1210A048 BGT1210A048 LOVATO REVERSING CONTACTOR ASSEMBLY, AC COIL, BUILT-IN INTERLOCK WITH POWER WIRING..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 11BGT1210A048



Manufacturer	LOVATO ELECTRIC
MPN / Reference	11BGT1210A048
Catalog number	BGT1210A048
Category	Motor starter/Motor starter combination
Minimum order	1 Pcs
Document ID	EO-DA9390C392
Generated	2026-08-03

Product Overview

REVERSING CONTACTOR ASSEMBLY, AC COIL, BUILT-IN INTERLOCK WITH POWER WIRING ONLY, 12A AC3 IN AC, 5.7KW. COIL VOLTAGE 48VAC 50/60HZ

12A Enclav Inverter. internal 2 NA 48V AC

Reversing contactor assembly, AC coil, built-in interlock with power wiring only, 12A AC3 in AC, 5.7kW. Coil voltage 48VAC 50/60Hz

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Electromechanical starters - LOVATO ELECTRIC
--------------	--

Additional Product Information

11BGT1210A048

Reversing contactor assembly, AC coil, built-in interlock with power wiring only, 12A AC3 in AC, 5.7kW. Coil voltage 48VAC 50/60Hz

Technical specifications

Type of product:Reversing contactor assembliesUL/CSA horsepower ratings 480V [HP]:7.5Type:Open frame, with built-in interlock with power wiring onlyType of coil:AC coilContactor coil voltage:48VAC 50/60HZOrder code 11BGT1210A048

Weight [g] 373

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 097X065X090

Volume [cm³] 567.45

Bar code [EAN13] 8013975095683

HS Code 85365080

206.66 £

ETIM for 11BGT1210A048 Low-voltage industrial controls and switchgear (EC001037)

Feature Name

Feature Value

Degree of protection (NEMA) (EF011959)

Other

Type of motor starter (EF009598)

Reversing starter

Voltage type for actuating (EF008242)

AC

Type of electrical connection for auxiliary- and control current circuit (EF006979)

Screw connection

Type of electrical connection of main circuit (EF006819)

Screw connection

Degree of protection (IP) (EF005474)

IP20

Rated control supply voltage AC 60 Hz (EF003979)

48 V

Rated control supply voltage AC 50 Hz (EF003978)

48 V

Supporting protocol for SafetyBUS p (EF007527)

No

Supporting protocol for PROFIsafe (EF007526)

No

Supporting protocol for PROFINET IO (EF007525)

No

Supporting protocol for PROFINET CBA (EF007524)

No

Supporting protocol for Foundation Fieldbus (EF007522)

No

Supporting protocol for EtherNet/IP (EF007521)

No

Supporting protocol for DeviceNet Safety....

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 11BGT1210A048 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.