

INDUSTRIAL COMPONENT DATA

11BGTP0901A110 BGTP0901A110 LOVATO REVERSING CONTACTOR ASSEMBLY, AC COIL, BUILT-IN INTERLOCK ONLY WITH REAR ..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 11BGTP0901A110



Manufacturer	LOVATO ELECTRIC
MPN / Reference	11BGTP0901A110
Catalog number	BGTP0901A110
Category	Motor starter/Motor starter combination
Minimum order	1 Pcs
Document ID	EO-A8C93AB7AD
Generated	2026-08-02

Product Overview

REVERSING CONTACTOR ASSEMBLY, AC COIL, BUILT-IN INTERLOCK ONLY WITH REAR PCB SOLDER PINS, 9A AC3 IN AC, 4KW. COIL VOLTAGE 110VAC 50/60HZ

9A Enclav Inverter. internal 2 NC 110V AC

Reversing contactor assembly, AC coil, built-in interlock only with rear PCB solder pins, 9A AC3 in AC, 4kW. Coil voltage 110VAC 50/60Hz

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Electromechanical starters - LOVATO ELECTRIC
--------------	--

Additional Product Information

11BGTP0901A110

Reversing contactor assembly, AC coil, built-in interlock only with rear PCB solder pins, 9A AC3 in AC, 4kW. Coil voltage 110VAC 50/60Hz

Technical specifications

Type of product:Reversing contactor assembliesUL/CSA horsepower ratings 480V [HP]:5Type:Open frame, with built-in interlock only with rear pcb solder pinsType of coil:AC coilContactor coil voltage:110VAC 50/60HZOrder code

11BGTP0901A110

Weight [g] 388

Qty. per package 1

Multiple qty. of packs per order 1
Package dimensions [mm] 097X065X090
Volume [cm³] 567.45
Bar code [EAN13] 8013975145463
HS Code 85365080
200.15 £
ETIM for 11BGTP0901A110 Low-voltage industrial controls and switchgear (EC001037)
Feature Name
Feature Value
Rated operation power at AC-3, 230 V, 3-phase (EF009599)
2.2 kW
Number of indicator lights (EF001965)
0
Rated operation current I_e (EF001443)
9 A
Number of auxiliary contacts as normally closed contact (EF001377)
1
Number of auxiliary contacts as normally open contact (EF001376)
0
Rated operation power at AC-3, 400 V (EF001364)
4 kW
Depth (EF000049)
56 mm
Height (EF000040)
58 mm
Width (EF000008)
88 mm
Degree of protection (NEMA) (EF011959)
Other
Type of motor starter (EF009598)
Reversing starter
Voltage type for actuating (EF008242)
AC
Type of electrical connection for auxiliary- and control current circuit (EF006979)
Other
Type of electrical connection of main circuit (EF006819)
Other
Degree of protection (IP) (EF005474)
IP20
Rated control supply voltage AC 60 Hz (EF003979)
110 V
Ra...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 11BGTP0901A110 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.