

## INDUSTRIAL COMPONENT DATA

# 11BGR0901A024 BGR0901A024 LOVATO REVERSING CONTACTOR ASSEMBLY, AC COIL, EXTERNAL INTERLOCK WITH POWER AND AU..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: 11BGR0901A024



|                 |                                         |
|-----------------|-----------------------------------------|
| Manufacturer    | LOVATO ELECTRIC                         |
| MPN / Reference | 11BGR0901A024                           |
| Catalog number  | BGR0901A024                             |
| Category        | Motor starter/Motor starter combination |
| Minimum order   | 1 Pcs                                   |
| Document ID     | EO-F16F355FD2                           |
| Generated       | 2026-08-05                              |

## Product Overview

REVERSING CONTACTOR ASSEMBLY, AC COIL, EXTERNAL INTERLOCK WITH POWER AND AUXILIARY WIRING, 9A AC3 IN AC, 4KW. COIL VOLTAGE 24VAC 50/60HZ  
9A AC3 Inverter Encl. External, Conex. Pot./Cont. 24V AC  
Reversing contactor assembly, AC coil, external interlock with power and auxiliary wiring, 9A AC3 in AC, 4kW. Coil voltage 24VAC 50/60Hz

## STRUCTURED PRODUCT DATA

## Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

## Classification & Catalog Path

|              |                                                                |
|--------------|----------------------------------------------------------------|
| Catalog path | LOVATO ELECTRIC > Electromechanical starters - LOVATO ELECTRIC |
|--------------|----------------------------------------------------------------|

## Additional Product Information

11BGR0901A024

Reversing contactor assembly, AC coil, external interlock with power and auxiliary wiring, 9A AC3 in AC, 4kW. Coil voltage 24VAC 50/60Hz

Technical specifications

Type of product:Reversing contactor assembliesUL/CSA horsepower ratings 480V [HP]:5Type:Open frame, with external interlock with power and auxiliary wiringType of coil:AC coilContactor coil voltage:24VAC 50/60HZOrder code

11BGR0901A024

Weight [g] 394

Qty. per package 1

Multiple qty. of packs per order 1  
Package dimensions [mm] 097X065X090  
Volume [cm³] 567.45  
Bar code [EAN13] 8013975083123  
HS Code 85365080  
216.67 £  
ETIM for 11BGR0901A024 Low-voltage industrial controls and switchgear (EC001037)  
Feature Name  
Feature Value  
Degree of protection (NEMA) (EF011959)  
Other  
Type of motor starter (EF009598)  
Reversing starter  
Voltage type for actuating (EF008242)  
AC  
Type of electrical connection for auxiliary- and control current circuit (EF006979)  
Screw connection  
Type of electrical connection of main circuit (EF006819)  
Screw connection  
Degree of protection (IP) (EF005474)  
IP20  
Rated control supply voltage AC 60 Hz (EF003979)  
24 V  
Rated control supply voltage AC 50 Hz (EF003978)  
24 V  
Supporting protocol for SafetyBUS p (EF007527)  
No  
Supporting protocol for PROFIsafe (EF007526)  
No  
Supporting protocol for PROFINET IO (EF007525)  
No  
Supporting protocol for PROFINET CBA (EF007524)  
No  
Supporting protocol for Foundation Fieldbus (EF007522)  
No  
Supporting protocol for EtherNet/IP (EF007521)  
No  
Supporting protocol for Devi...

## REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / 11BGR0901A024 with the required quantity to [info@electricaonline.com](mailto:info@electricaonline.com) or use [electricaonline.com/request-quote](https://electricaonline.com/request-quote).

### GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.