

INDUSTRIAL COMPONENT DATA

PLNU1HW LOVATO METAL LIMIT SWITCH, PL SERIES, ROLLER CENTRE PUSH LEVER, CONTACTS 1NO.1NC. IP65

Brand: LOVATO ELECTRIC | Manufacturer Part Number: PLNU1HW



Manufacturer	LOVATO ELECTRIC
MPN / Reference	PLNU1HW
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-9B4675F708
Generated	2026-08-02

Product Overview

METAL LIMIT SWITCH, PL SERIES, ROLLER CENTRE PUSH LEVER, CONTACTS 1NO.1NC. IP65

ROLLER CENTRE PUSH LEVER 1NO+ 1NC LIMIT

Metal limit switch, PL series, roller centre push lever. Contacts 1NO.1NC. IP65

PL SERIES METAL LIMIT SWITCH, LEVER WITH CENTRAL WHEEL, 1NO.1NC CONTACTS. IP65

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC

Additional Product Information

PLNU1HW

Metal limit switch, PL series, roller centre push lever. Contacts 1NO.1NC. IP65

Technical specifications

Type of product: Metal and plastic limit switches Product characteristics: Roller centre push lever Housing

material: Aluminium-zinc alloy Type of contacts: 1NO+1NC Cable entry: PG11 with cable gland Order code PLNU1HW

Weight [g] 314

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 088X055X120

Volume [cm³] 580.8

Bar code [EAN13] 8013975078631

HS Code 85365080

71.38 £

ETIM for PLNU1HW Sensors (EC000030)

Feature Name

Feature Value

Alignment of the control element (EF008793)

Roller cam crossed

Type of interface (EF006977)

None

Type of control element (EF006976)

Roller lever

Degree of protection (IP) (EF005474)

IP65

Construction type housing (EF004008)

Cuboid

Explosion safety category for dust (EF003998)

None

Explosion safety category for gas (EF003997)

None

Type of electric connection (EF003961)

Cable entry PG

Type of interface for safety communication (EF003956)

None

Coating housing (EF001601)

Powder coated

Housing material (EF001596)

Metal

Switching function (EF000189)

Other

Ambient temperature during operating (EF007515)

-25 °C

Switching function latching (EF007447)

No

Output electronic (EF006987)

No

Forced opening (EF006694)

Yes

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256)

1

Number of contacts as norm...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / PLNU1HW with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.