

INDUSTRIAL COMPONENT DATA

KCE1L11 LOVATO Contacts 3NC slow break. Plastic roller

Brand: LOVATO ELECTRIC | Manufacturer Part Number: KCE1L11



Manufacturer	LOVATO ELECTRIC
MPN / Reference	KCE1L11
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-E989923D41
Generated	2026-08-02

Product Overview

Contacts 3NC slow break. Plastic roller

ROLLER LEVER PLUNGER 2 ENTR L/S 1NO+1NC

Limit switch, K series, roller lever plunger, 2 side cable entry. Dimensions compatible to EN 50047, plastic body, contacts 1NO+1NC slow action. Plastic roller

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC

Additional Product Information

KCE1L11

Limit switch, K series, roller lever plunger, 2 side cable entry. Dimensions compatible to EN 50047, plastic body, contacts 1NO+1NC slow action. Plastic roller

Technical specifications

Type of product: Metal and plastic limit switches
Product characteristics: Roller lever plunger
Housing material: Polymer thermoplastic
Roller material: Plastic
Type of contacts: 1NO+1NC Slow action
Cable entry: M20 on the sides
Order code KCE1L11

Weight [g] 110

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 120X045X060

Volume [cm³] 324

Bar code [EAN13] 8013975127063

HS Code 85365080

38.32 £

ETIM for KCE1L11 Sensors (EC000030)

Feature Name

Feature Value

Alignment of the control element (EF008793)

Roller cam crossed

Type of interface (EF006977)

None

Type of control element (EF006976)

Square roller lever

Degree of protection (IP) (EF005474)

IP65

Construction type housing (EF004008)

Cuboid

Explosion safety category for dust (EF003998)

None

Explosion safety category for gas (EF003997)

None

Type of electric connection (EF003961)

Cable entry metrical

Type of interface for safety communication (EF003956)

None

Coating housing (EF001601)

Other

Housing material (EF001596)

Plastic

Switching function (EF000189)

Slow-action switch

Ambient temperature during operating (EF007515)

-25 °C

Switching function latching (EF007447)

No

Output electronic (EF006987)

No

Forced opening (EF006694)

Yes

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Number of con...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / KCE1L11 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.