

INDUSTRIAL COMPONENT DATA

KPE2L11 LOVATO PREWIRED METAL LIMIT SWITCH, K SERIES, ROLLER LEVER PLUNGER, CONTACTS 1NO+1NC SLOW BREAK

Brand: LOVATO ELECTRIC | Manufacturer Part Number: KPE2L11



Manufacturer	LOVATO ELECTRIC
MPN / Reference	KPE2L11
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-A1B35CBF9F
Generated	2026-08-03

Product Overview

PREWIRED METAL LIMIT SWITCH, K SERIES, ROLLER LEVER PLUNGER, CONTACTS 1NO+1NC SLOW BREAK

ROLLER LEVER PREW. METAL 1NO+1NC SLOW BR

K series pre-wired metal limit switch with 2m cable, lever with roller, slow 1NO+1NC contacts

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC

Additional Product Information

Order code KPE2L11

Weight [g] 336

Package dimensions [mm] 260X235X020

Volume [cm³] 1222

Bar code [EAN13] 8013975150283

HS Code 85365080

ETIM for KPE2L11 Sensors (EC000030)

Feature Name

Feature Value

Alignment of the control element (EF008793)

Roller cam crossed

Type of interface (EF006977)

None

Type of control element (EF006976)

Roller lever

Degree of protection (IP) (EF005474)

IP67

Construction type housing (EF004008)

Cuboid

Explosion safety category for dust (EF003998)

None

Explosion safety category for gas (EF003997)

None

Type of electric connection (EF003961)

With cable preassembled

Type of interface for safety communication (EF003956)

None

Coating housing (EF001601)

Powder coated

Housing material (EF001596)

Metal

Switching function (EF000189)

Slow-action switch

Ambient temperature during operating (EF007515)

-25 °C

Switching function latching (EF007447)

No

Output electronic (EF006987)

No

Forced opening (EF006694)

Yes

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256)

1

Number of contacts as normally closed contact (EF008255)

1

Length of sensor (EF007334)

16 mm

Height of sensor (EF007283)

92 mm

Width sensor (EF007094)

30 mm

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / KPE2L11 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.