

INDUSTRIAL COMPONENT DATA

PLNU1HSBW LOVATO METAL LIMIT SWITCH, PL SERIES, ROLLER CENTRE PUSH LEVER, CONTACTS 2NC. IP65

Brand: LOVATO ELECTRIC | Manufacturer Part Number: PLNU1HSBW



Manufacturer	LOVATO ELECTRIC
MPN / Reference	PLNU1HSBW
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-5B519D2DFF
Generated	2026-08-03

Product Overview

METAL LIMIT SWITCH, PL SERIES, ROLLER CENTRE PUSH LEVER, CONTACTS 2NC. IP65

ROLLER PUSH LEVER LIMIT SWITCH 1NO+1NC I

Metal limit switch, PL series, roller centre push lever. Contacts 2NC. IP65

PL SERIES METAL LIMIT SWITCH, LEVER WITH CENTRAL WHEEL, 2NC CONTACTS. IP65

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC
--------------	--

Additional Product Information

PLNU1HSBW

Metal limit switch, PL series, roller centre push lever. Contacts 2NC. IP65

Technical specifications

Type of product: Metal and plastic limit switches Product characteristics: Roller centre push lever Housing

material: Aluminium-zinc alloy Type of contacts: 1NO+1NC Cable entry: PG11 with cable gland Order code PLNU1HSBW

Weight [g] 350

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 126X092X085

Volume [cm³] 985.32

Bar code [EAN13] 8013975078600

HS Code 85365080

84.51 £

ETIM for PLNU1HSBW Sensors (EC000030)

Feature Name

Feature Value

Alignment of the control element (EF008793)

Roller cam crossed

Type of interface (EF006977)

None

Type of control element (EF006976)

Roller lever

Degree of protection (IP) (EF005474)

IP65

Construction type housing (EF004008)

Cuboid

Explosion safety category for dust (EF003998)

None

Explosion safety category for gas (EF003997)

None

Type of electric connection (EF003961)

Cable entry PG

Type of interface for safety communication (EF003956)

None

Coating housing (EF001601)

Powder coated

Housing material (EF001596)

Metal

Switching function (EF000189)

Other

Ambient temperature during operating (EF007515)

-25 °C

Switching function latching (EF007447)

No

Output electronic (EF006987)

No

Forced opening (EF006694)

Yes

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256)

1

Number of contacts as n...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / PLNU1HSBW with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.