

INDUSTRIAL COMPONENT DATA

PLNU1AT25 LOVATO ROPE-PULL LEVER LIMIT SWITCHES FOR NORMAL STOPPING, WITHOUT RESET BUTTON, CONTACTS 1NO+1NC...

Brand: LOVATO ELECTRIC | Manufacturer Part Number: PLNU1AT25



Manufacturer	LOVATO ELECTRIC
MPN / Reference	PLNU1AT25
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-E05F0C8FFA
Generated	2026-08-06

Product Overview

ROPE-PULL LEVER LIMIT SWITCHES FOR NORMAL STOPPING, WITHOUT RESET BUTTON, CONTACTS 1NO+1NC. IP40. 25N OPERATING FORCE

ROPE LEVER 1NO+1NC LIMIT SWIT- CH 2.5KG

Rope-pull lever limit switch for normal stopping, without RESET button. Contacts 1NO+1NC. IP40. 25N operating force
ROPE LIMIT SWITCH FOR EASY STOPPING, WITHOUT RESET BUTTON, 1NO+1NC CONTACTS. IP40. PULLING FORCE 25N

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path	LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC
--------------	--

Additional Product Information

PLNU1AT25

Rope-pull lever limit switch for normal stopping, without RESET button. Contacts 1NO+1NC. IP40. 25N operating force

Technical specifications

Type of product: Metal and plastic limit switches Product characteristics: Rope-pull lever without reset button Housing

material: Aluminium-zinc alloy Type of contacts: 1NO+1NC Cable entry: PG11 Order code PLNU1AT25

Weight [g] 272

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 088X055X120

Volume [cm³] 580.8

Bar code [EAN13] 8013975078471

HS Code 85365080

62.93 £

ETIM for PLNU1AT25 Sensors (EC000030)

Feature Name

Feature Value

Alignment of the control element (EF008793)

Other

Type of interface (EF006977)

None

Type of control element (EF006976)

Other

Degree of protection (IP) (EF005474)

IP40

Construction type housing (EF004008)

Cuboid

Explosion safety category for dust (EF003998)

None

Explosion safety category for gas (EF003997)

None

Type of electric connection (EF003961)

Cable entry PG

Type of interface for safety communication (EF003956)

None

Coating housing (EF001601)

Powder coated

Housing material (EF001596)

Metal

Switching function (EF000189)

Slow-action switch

Ambient temperature during operating (EF007515)

-25 °C

Switching function latching (EF007447)

No

Output electronic (EF006987)

No

Forced opening (EF006694)

Yes

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally open contact (EF008256...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / PLNU1AT25 with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.