

INDUSTRIAL COMPONENT DATA

PLNU1AT25W LOVATO ROPE-PULL LEVER LIMIT SWITCHES FOR NORMAL STOPPING, WITHOUT RESET BUTTON, CONTACTS 1NO+1NC..

Brand: LOVATO ELECTRIC | Manufacturer Part Number: PLNU1AT25W



Manufacturer	LOVATO ELECTRIC
MPN / Reference	PLNU1AT25W
Catalog number	10000
Category	End switch
Minimum order	1 Pcs
Document ID	EO-C4E460F9E5
Generated	2026-08-06

Product Overview

ROPE-PULL LEVER LIMIT SWITCHES FOR NORMAL STOPPING, WITHOUT RESET BUTTON, CONTACTS 1NO+1NC.

IP65. 25N OPERATING FORCE

ROPE LEVER 1NO+1NC LIMIT SWIT- CH 2.5KG

Rope-pull lever limit switch for normal stopping, without RESET button. Contacts 1NO+1NC. IP65. 25N operating force

STRUCTURED PRODUCT DATA

Technical Specifications

No structured technical attributes are currently available. Submit an RFQ for technical review.

Classification & Catalog Path

Catalog path LOVATO ELECTRIC > Limit, micro and foot switches - LOVATO ELECTRIC

Additional Product Information

PLNU1AT25W

Rope-pull lever limit switch for normal stopping, without RESET button. Contacts 1NO+1NC. IP65. 25N operating force

Technical specifications

Type of product: Metal and plastic limit switches Product characteristics: Rope-pull lever without reset button Housing

material: Aluminium-zinc alloy Type of contacts: 1NO+1NC Cable entry: PG11 with cable gland Order code PLNU1AT25W

Weight [g] 280

Qty. per package 1

Multiple qty. of packs per order 1

Package dimensions [mm] 088X055X120

Volume [cm³] 580.8

Bar code [EAN13] 8013975078488

HS Code 85365080

70.39 £

ETIM for PLNU1AT25W Sensors (EC000030)

Feature Name

Feature Value

Alignment of the control element (EF008793)

Other

Type of interface (EF006977)

None

Type of control element (EF006976)

Other

Degree of protection (IP) (EF005474)

IP65

Construction type housing (EF004008)

Cuboid

Explosion safety category for dust (EF003998)

None

Explosion safety category for gas (EF003997)

None

Type of electric connection (EF003961)

Cable entry PG

Type of interface for safety communication (EF003956)

None

Coating housing (EF001601)

Powder coated

Housing material (EF001596)

Metal

Switching function (EF000189)

Slow-action switch

Ambient temperature during operating (EF007515)

-25 °C

Switching function latching (EF007447)

No

Output electronic (EF006987)

No

Forced opening (EF006694)

Yes

With status indication (EF001602)

No

Suitable for safety functions (EF001597)

No

Number of contacts as change-over contact (EF008257)

0

Number of contacts as normally op...

REQUEST PRICE, AVAILABILITY & TECHNICAL REVIEW

Send LOVATO ELECTRIC / PLNU1AT25W with the required quantity to info@electricaonline.com or use electricaonline.com/request-quote.

GLOBAL OFFICES

Germany: Lise-Meitner-Straße 13, 89081 Ulm | USA: 16225 Park Ten Pl #500, Houston, TX 77084 | UAE: HDS Business Centre Tower, Cluster M, 33rd Floor, JLT, Dubai

Catalog-generated document. Product names, marks and specifications belong to their respective owners. Verify safety-critical, compatibility and certification requirements against the manufacturer documentation before purchase or installation.